

**REFERENCE LIST: WATER TREATMENT SYSTEMS**  
**FOR SWIMMING POOLS AND HOT SPRINGS**  
**(SOA CAT. OS22)**

**GERMANY**

**THERMAL SPAS**

\* **BAD WÖRISHOFEN – THERME BAD WÖRISHOFEN**

**WEISSE WELT – HEALT POOLS**

Technology:	Gravel filter, active charcoal filter
Number of pools:	3
Water surface:	58 m <sup>2</sup>
Circulation rate:	81 m <sup>3</sup> /h
Location of execution:	Bad Wörishofen
Year of execution:	2017
Project:	Architecture office Wund

\* **KONSTANZ – BODENSEETHERME – WHIRLPOOL**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	17 m <sup>2</sup>
Attractions:	Neck shower
Circulation rate:	65 m <sup>3</sup> /h
Location of execution:	Konstanz
Year of execution:	2017
Project:	Architecture office 4a

\* **BAD GÖGGING – LIMES THERME RÖMERSAUNA**

Technology:	Ultra-filtration, active charcoal filter
Number of pools:	1
Water surface:	34 m <sup>2</sup>
Attractions:	Bubble lounger, bubble seats
Circulation rate:	65 m <sup>3</sup> /h
Location of execution:	Bad Gögging
Year of execution:	2015 - 2016
Project:	Engineering office Reißnecker & Eberhart

\* **ERDING - THERME ERDING – ENLARGEMENT WAVE POOL, CRAZY RIVER &  
CHILDREN'S POOL**

Technology:	Multilayer filter, ozone system
Number of pools:	4
Water surface:	1.809 m <sup>2</sup>
Attractions:	Slides, massage jets, bubble lounger, bubble seats, floor bubbles, floor sources, neck shower, water games
Circulation rate:	1.975 m <sup>3</sup> /h
Location of execution:	Erding
Year of execution:	2013 - 2014
Project:	Architecture office Wund

\* **RILCHINGEN - SAARLANDTHERME – SALINE POOL**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	50 m <sup>2</sup>
Circulation rate:	75 m <sup>3</sup> /h
Location of execution:	Rilchingen
Year of execution:	2013
Project:	Engineering office IGP

\* **BAD ROTHENFELDE – THERME CARPESOL SPA**

Technology:	Sand filters
Number of pools:	10
Water surface:	842 m <sup>2</sup>
Attractions:	Bubble lounger, bubble seats, neck shower, flow channel, water fountain, floor bubbles, waves ball system
Circulation rate:	1.013 m <sup>3</sup> /h
Location of execution:	Bad Rothenfelde
Year of execution:	2012 - 2013
Project:	Engineering office Kannewischer

\* **RILCHINGEN - SAARLANDTHERME**

Technology:	Multilayer filter
Number of pools:	11
Water surface:	449 m <sup>2</sup>
Attractions:	Bubble seats, massage jets, flow channel, bubble alcoves
Circulation rate:	494 m <sup>3</sup> /h
Location of execution:	Rilchingen
Year of execution:	2011 - 2012
Project:	Engineering office IGP

\* **BAD WINDSHEIM - FRANKENTHERME – ENLARGEMENT SAUNA**

Technology:	Suction filter
Number of pools:	1
Water surface:	41 m <sup>2</sup>
Attractions:	Bubble lounger, massage jets
Circulation rate:	60 m <sup>3</sup> /h
Location of execution:	Bad Windsheim
Year of execution:	2010
Project:	Engineering office ibs Schirmer

\* **GÖPPINGEN - BARBAROSSATHERME**

Technology:	Multilayer filter
Number of pools:	6
Water surface:	738 m <sup>2</sup>
Attractions:	Flow channel, water mushroom, slides, neck shower, floor bubbles
Circulation rate:	724 m <sup>3</sup> /h
Location of execution:	Göppingen
Year of execution:	2009
Project:	Engineering office Gatsos

\* ***BAD WÖRISHOFEN – THERME BAD WÖRISHOFEN – ENLARGEMENT SAUNA***

Technology:	Ozone system, active charcoal filter
Number of pools:	3
Water surface:	200 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seat, massage jets, neck shower, flow channel, rain nozzle, water curtain, water fountain
Circulation rate:	225 m <sup>3</sup> /h
Location of execution:	Bad Wörishofen
Year of execution:	2008 - 2009
Project:	Architecture office Wund

\* ***BAD AIBLING - THERME BAD AIBLING***

Technology:	Ultra-filtration
Number of pools:	14
Water surface:	1.395 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seat, neck shower, splash shower, massage jets, floor bubbles, floor geysers, flow channel, water fountain, water mushroom, water hedgehog, waterfall, shower tower, shower tunnel
Circulation rate:	835 m <sup>3</sup> /h
Location of execution:	Bad Aibling
Year of execution:	2006 - 2007
Project:	Behnisch & Partner

\* ***ERDING - THERME ERDING – ENLARGEMENT VITALTHERMEN & SAUNA***

Technology:	Multilayer filter, active charcoal filter, ozone system
Number of pools:	13
Water surface:	1.250 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seat, neck shower, massage jets, floor bubbles, waterfall, flow channel
Circulation rate:	1.300 m <sup>3</sup> /h
Location of execution:	Erding
Year of execution:	2006 - 2007
Project:	Architecture office Wund

\* **ERDING - THERME ERDING – ENLARGEMENT GALAXY RUTSCHENWELT**

Technology:	Multilayer filter, ozone system
Number of pools:	3
Water surface:	235 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seat, floor bubbles, water mushroom, water hedgehog
Circulation rate:	840 m <sup>3</sup> /h
Location of execution:	Erding
Year of execution:	2006 - 2007
Project:	Architecture office Wund

\* **KONSTANZ - BODENSEETHERME**

Technology:	Sand filter, active charcoal filter
Number of pools:	9
Water surface:	2.733 m <sup>2</sup>
Attractions:	Bubble lounge, neck shower, massage jets, floor bubbles, flow channel, fountain ball, sprout, water mushroom, splash shower
Circulation rate:	1.987 m <sup>3</sup> /h
Location of execution:	Konstanz
Year of execution:	2006 - 2007
Project:	Architecture office 4a

\* **BAD WINDSHEIM - FRANKENTHERME**

Technology:	Sand filter
Number of pools:	9
Water surface:	1.725 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seat, massage jets, floor bubbles, flow channel, splash shower
Circulation rate:	1.140 m <sup>3</sup> /h
Location of execution:	Bad Windsheim
Year of execution:	2004 - 2005
Project:	Architecture office Schmeissner

\* **BAD SOODEN - ALLENDORF - WERRATAL-THERME**

Technology:	Sand filter, active charcoal filter, ozone system
Number of pools:	5
Water surface:	615 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, neck shower, floor bubbles, massage jets, flow channel
Circulation rate:	680 m <sup>3</sup> /h
Location of execution:	Bad Sooden-Allendorf
Year of execution:	2004 - 2005
Project:	Engineering office Wach

\* **BAD WÖRISHOFEN – THERME BAD WÖRISHOFEN**

Technology:	Active charcoal filter, ozone system
Number of pools:	10
Water surface:	1.790 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seat, neck shower, floor bubbles, massage jets, flow channel, water curtain, water fountain, rain nozzles
Circulation rate:	1.725 m <sup>3</sup> /h
Location of execution:	Bad Wörishofen
Year of execution:	2003 - 2004
Project:	Architecture office Wund

\* **BAD LIEBENWERDA - LAUSITZTHERME**

Technology:	Multilayer filter
Number of pools:	16
Water surface:	1.500 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seat, neck shower, floor bubbles, massage jets, flow channel, floor nozzles, water curtain
Circulation rate:	1.942 m <sup>3</sup> /h
Location of execution:	Bad Liebenwerda
Year of execution:	2003 - 2004
Project:	Architecture office Haag

\* ***BAD REICHENHALL - RUPERTUSTHERME***

Technology:	Multilayer filter
Number of pools:	15
Water surface:	850 m <sup>2</sup>
Attractions:	Bubble lounger, bubble seat, neck shower, splash shower, massage jets, floor nuzzles, floor geyser, flow channel, water curtain, water cannon, splash nuzzles
Circulation rate:	1.340 m <sup>3</sup> /h
Location of execution:	Bad Reichenhall
Year of execution:	2003 - 2004
Project:	Architecture office Bert Bitterer

\* ***BAD ENDORF – THERME BAD ENDORF***

Technology:	Sand filter
Number of pools:	4
Water surface:	660 m <sup>2</sup>
Attractions:	Bubble lounger, massage jets, neck shower, flow channel, splash nuzzles
Circulation rate:	724 m <sup>3</sup> /h
Location of execution:	Bad Endorf
Year of execution:	2003 - 2004
Project:	Architecture office Schmeissner

\* ***INGOLSTADT - DONAUTHERME WONNEMAR***

Technology:	Multilayer filter
Number of pools:	11
Water surface:	1.500 m <sup>2</sup>
Attractions:	Bubble lounger, bubble seat, neck shower, massage jets, floor bubbles, flow channel, splash nuzzles, waterfall, water cannon
Circulation rate:	1.619 m <sup>3</sup> /h
Location of execution:	Ingolstadt
Year of execution:	2003
Project:	Architecture office Haag

\* **ÜBERLINGEN - BODENSEETHERME**

Technology:	Sand filter, multilayer filter, ozone system, single layer filter, active charcoal filter
Number of pools:	11
Water surface:	855 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seat neck shower, massage jets, floor bubbles, flow channel, sprouts, floor geyser
Circulation rate:	985 m <sup>3</sup> /h
Location of execution:	Überlingen
Year of execution:	2002 - 2003
Project:	Engineering office Kannewischer

\* **ERDING - THERME ERDING**

Technology:	Ozone system, active charcoal filter
Number of pools:	11
Water surface:	1.450 m <sup>2</sup>
Attractions:	Massage jets, flow channel, bubble seats, bubble lounge, neck shower, floor bubbles
Circulation rate:	1.465 m <sup>3</sup> /h
Location of execution:	Erding
Year of execution:	1999 - 2000
Project:	Wund Objektbau

\* **MUNICH - WESTBAD - THERMAL- & INDOOR POOL**

Technology:	Sand filter, ozone system, active charcoal filter
Number of pools:	8
Water surface:	870 m <sup>2</sup>
Attractions:	Water bell, waterfall, floor bubbles, flow channel, neck shower, massage jets, bubble lounge, bubble seats, bubble grotto
Circulation rate:	830 m <sup>3</sup> /h
Location of execution:	Munich
Year of execution:	1998
Project:	Architecture office Reichert, Pranschke, Maluche Architekten Engineering office Kannewischer



## **WATERPARKS IN- & OUTDOOR SWIMMING POOLS**

### **\* SINSHEIM – BEACH POOLS**

Technology:	Multilayer filter, waste water treatment, salt electrolysis systems
Number of pools:	2
Water surface:	120 m <sup>2</sup>
Circulation rate:	65 m <sup>3</sup> /h
Location of execution:	Sinsheim
Year of execution:	2019
Project:	Architecture office Wund

### **\* FREILASSING BADYLON**

Technology:	Ozone system, multilayer filter, cathode protection, lifting floor
Number of pools:	4
Water surface:	695 m <sup>2</sup>
Attractions:	Kids slide, bubble lounger, water sprouts, floor bubbles, massage jets, crab, jellyfish, boat canal
Circulation rate:	367 m <sup>3</sup> /h
Location of execution:	Freilassing
Year of execution:	2017 - 2019
Project:	plafog Planungsgesellschaft mbH

### **\* WEILHEIM AN DER TECK FREIBAD**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	567 m <sup>2</sup>
Attractions:	Water curtain, water basketball, various water games, various water attractions
Circulation rate:	660 m <sup>3</sup> /h
Location of execution:	Weilheim a.d. Teck
Year of execution:	2019
Project:	Fritz Planung

\* **MÜNSINGEN - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	1.069 m <sup>2</sup>
Attractions:	Slide, massage jets, neck shower, various water games
Circulation rate:	720 m <sup>3</sup> /h
Location of execution:	Münsingen
Year of execution:	2018 - 2019
Project:	Fritz Planung

\* **CALW - SPORTS AREA**

Technology:	Ozone system, multilayer filter, GRP filter waste water treatment, active charcoal filter, cathode protection, calcium hypochlorite plant
Number of pools:	2
Water surface:	388 m <sup>2</sup>
Attractions:	Wave pool
Circulation rate:	179 m <sup>3</sup> /h
Location of execution:	Calw
Year of execution:	2015 - 2018
Project:	Engineering office Kannewischer

\* **TODTNAU - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	488 m <sup>2</sup>
Attractions:	Wide slide
Circulation rate:	288 m <sup>3</sup> /h
Location of execution:	Todtnau
Year of execution:	2017 - 2018
Project:	TGA Planungsgruppe GmbH

\* **VILLINGEN SCHWENNINGEN - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	1586 m <sup>2</sup>
Attractions:	Wide slide, water games
Circulation rate:	895 m <sup>3</sup> /h
Location of execution:	Villingen Schwenningen
Year of execution:	2017 - 2018
Project:	Fritz Planung

\* **EMMENDINGEN - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	4
Water surface:	1.585 m <sup>2</sup>
Circulation rate:	1.125 m <sup>3</sup> /h
Location of execution:	Emmendingen
Year of execution:	2017 - 2018
Project:	Engineering office Aqua-Technik Freiburg

\* **WIEHL - KOMBIBAD**

Technology:	Multilayer filter, GRP filter
Number of pools:	6
Water surface:	734 m <sup>2</sup>
Attractions:	Big slides, massage jets, neck shower, floor bubbles, bubble lounge
Circulation rate:	500 m <sup>3</sup> /h
Location of execution:	Wiehl
Year of execution:	2015 - 2017
Project:	Engineering office Krieger – Planning office Lange

\* **TITISEE - BADEPARADIES SCHWARZWALD – ENLARGEMENT SLIDE**

Technology:	Gravel filter, ozone system, active charcoal filter
Number of pools:	2
Water surface:	100 m <sup>2</sup>
Attractions:	Star River, Racer slide
Circulation rate:	424 m <sup>3</sup> /h
Location of execution:	Titisee - Neustadt
Year of execution:	2016 - 2017
Project:	Architecture office Wund

\* **TITISEE - BADEPARADIES SCHWARZWALD – ENLARGEMENT VITAL SAUNA**

Technology:	Gravel filter, ozone system, active charcoal filter
Number of pools:	13
Water surface:	380 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seat, floor bubbles, massage alcove
Circulation rate:	540 m <sup>3</sup> /h
Location of execution:	Titisee - Neustadt
Year of execution:	2016 - 2017
Project:	Architecture office Wund

\* **MAIKAMMER – KALMITBAD**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	1.230 m <sup>2</sup>
Attractions:	Wide slide, bubble lounge, massage jets, water cannon, neck shower, water mushroom
Circulation rate:	885 m <sup>3</sup> /h
Location of execution:	Maikammer
Year of execution:	2016 - 2017
Project:	plafog Planungsgesellschaft mbH

\* **AUGSBURG - PLÄRRERBAD**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	406 m <sup>2</sup>
Circulation rate:	256 m <sup>3</sup> /h
Location of execution:	Augsburg
Year of execution:	2015 - 2017
Project:	ist EnergiePlan

\* **BLUMBERG - PANORAMABAD**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	1.200 m <sup>2</sup>
Attractions:	Wide slide, slide, water mushroom, massage jets
Circulation rate:	836 m <sup>3</sup> /h
Location of execution:	Blumberg
Year of execution:	2015 - 2016
Project:	Fritz Planung

\* **LEONBERG - SAUNA**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	18 m <sup>2</sup>
Circulation rate:	40 m <sup>3</sup> /h
Location of execution:	Leonberg
Year of execution:	2015 - 2016
Engineering:	Engineering office L + P

\* **EUSKIRCHEN – BADEWELT EUSKIRCHEN - WELLNESS**

Technology:	Multilayer filter, ozone system
Number of pools:	14
Water surface:	1.640 m <sup>2</sup>
Attractions:	Flow channel, bubble lounge, bubble seat, neck shower, massage jets, floor bubbles, massage alcove, champagne pool, calla flowers
Circulation rate:	1.926 m <sup>3</sup> /h
Location of execution:	Euskirchen
Year of execution:	2014 - 2015
Project:	Architecture office Wund

\* **TITISEE - BADEPARADIES SCHWARZWALD – ENLARGEMENT WATER SLIDES**

Number of pools:	4
Location of execution:	Titisee - Neustadt
Year of execution:	2015
Project:	Architecture office Wund

\* **DINGOLFING - FREIZEITBAD CAPRIMA**

Technology:	Suction filter
Number of pools:	2
Water surface:	1.117 m <sup>2</sup>
Attractions:	Water gate, waterfall, massage jets, bubble seat, bubble lounge, floor bubbles, flow channel
Circulation rate:	712 m <sup>3</sup> /h
Location of execution:	Dingolfing
Year of execution:	2013 - 2014
Project:	Engineering office Möller + Meyer

\* **EUSKIRCHEN - BADEPARADIES EUSKIRCHEN – INDOOR POOL**

Technology:	Multilayer filter, ozone system
Number of pools:	2
Water surface:	428 m <sup>2</sup>
Circulation rate:	255 m <sup>3</sup> /h
Location of execution:	Euskirchen
Year of execution:	2013 - 2014
Project:	Architecture office Wund

\* **REGENSBURG - WESTBAD**

Technology:	Ultra-filtration
Number of pools:	1
Water surface:	65 m <sup>2</sup>
Attractions:	Massage jets, splash shower
Circulation rate:	65 m <sup>3</sup> /h
Location of execution:	Regensburg
Year of execution:	2013 - 2014
Project:	Engineering office Reißnecker & Eberhart

\* **NECKARSULM - AQUATOLL - INDOOR POOL**

Technology:	Suction filter
Number of pools:	1
Water surface:	1.050 m <sup>2</sup>
Circulation rate:	540 m <sup>3</sup> /h
Location of execution:	Neckarsulm
Year of execution:	2013 - 2014
Project:	Engineering office Fritz Engineering

\* **HOFKIRCHEN - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	850 m <sup>2</sup>
Circulation rate:	405 m <sup>3</sup> /h
Location of execution:	Hofkirchen
Year of execution:	2014
Project:	Architecture office Krautloher

\* **LEONBERG - INDOOR POOL**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	605 m <sup>2</sup>
Attractions:	Neck shower, kids slide, different attractions in the children's pool
Circulation rate:	415 m <sup>3</sup> /h
Location of execution:	Leonberg
Year of execution:	2013 - 2014
Project:	Engineering office L + P

\* **BENEDIKTBEUERN - ALPENWARMBAD**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	1.543 m <sup>2</sup>
Attractions:	Neck shower, wide slide, different attractions in the children's pool
Circulation rate:	895 m <sup>3</sup> /h
Location of execution:	Benediktbeuern
Year of execution:	2013 - 2014
Project:	Engineering office L + P

\* **LANDSHUT - STADTBAD - HERRENBECKEN**

Technology:	Suction filter
Number of pools:	1
Water surface:	495 m <sup>2</sup>
Circulation rate:	220 m <sup>3</sup> /h
Location of execution:	Landshut
Year of execution:	2013 - 2014
Project:	Engineering office Hausman + Rieger



\* **MUNICH - GIESING HARLACHING - INDOOR POOL**

Technology:	Suction filter
Number of pools:	5
Water surface:	668 m <sup>2</sup>
Attractions:	Floor bubbles, different attractions in the children's pool
Circulation rate:	479 m <sup>3</sup> /h
Location of execution:	Munich
Year of execution:	2012 - 2013
Project:	Engineering office Möller + Meyer

\* **MUNICH - WESTBAD - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	133 m <sup>2</sup>
Attractions:	Massage jets, floor bubbles, Bubble seats, bubble lounge, neck shower
Circulation rate:	130 m <sup>3</sup> /h
Location of execution:	Munich
Year of execution:	2013
Project:	Engineering office Möller + Meyer

\* **ISMANING - INDOOR POOL**

Technology:	Suction filter
Number of pools:	6
Water surface:	681 m <sup>2</sup>
Attractions:	Bubble seats, bubble lounge, water hedgehog, floor bubbles, massage jets, water sprouts
Circulation rate:	556 m <sup>3</sup> /h
Location of execution:	Ismaning
Year of execution:	2010 - 2012
Project:	Engineering office Bannert

\* **SINSHEIM - BADEWELT**

Technology:	Multilayer filter, suction filter
Number of pools:	15
Water surface:	2.047 m <sup>2</sup>
Attractions:	Bubble seats, bubble lounger, floor bubbles, neck shower, hydro massage lounger, massage jets, wall and floor, flow channel, Calla flowers
Circulation rate:	2.115 m <sup>3</sup> /h
Location of execution:	Sinsheim
Year of execution:	2011 - 2012
Project:	Architecture Office Wund

\* **NECKARSULM AQUATOOL – SAUNA ENLARGEMENT**

Technology:	Sand filters
Number of pools:	1
Water surface:	24 m <sup>2</sup>
Attractions:	Bubble seats, floor bubbles
Circulation rate:	108 m <sup>3</sup> /h
Location of execution:	Neckarsulm
Year of execution:	2012
Project:	Engineering office Kannewischer

\* **MUNICH PRINZREGENTENBAD - ULTRA-FILTRATION SYSTEM - WHIRLPOOL**

Technology:	Ultra-filtration
Number of pools:	1
Water surface:	8 m <sup>2</sup>
Attractions:	Bubble seats
Circulation rate:	27 m <sup>3</sup> /h
Location of execution:	Munich
Year of execution:	2012
Project:	Engineering office Base

\* **MUNICH WESTBAD – ULTRA-FILTRATION SYSTEM**

Technology:	Ultra-filtration
Circulation rate:	3 m <sup>3</sup> /h
Location of execution:	Munich
Year of execution:	2011
Project:	Engineering office Base

\* **RHEDA WIEDENBRÜCK - INDOOR POOL**

Technology:	Multilayer filter & MSR technique
Number of pools:	3
Water surface:	448 m <sup>2</sup>
Attractions:	Massage jets, neck shower, floor bubbles, water mushroom, water cannon, boat canal
Circulation rate:	271 m <sup>3</sup> /h
Location of execution:	Rheda Wiedenbrück
Year of execution:	2011
Project:	Engineering office Bannert

\* **GÖRWIHL - SPORTS AREA**

Technology:	Suction filter
Number of pools:	1
Water surface:	134 m <sup>2</sup>
Circulation rate:	120 m <sup>3</sup> /h
Location of execution:	Görwihl
Year of execution:	2010 - 2011
Project:	Engineering office Fritz Engineering

\* **TITISEE - BADEPARADIES SCHWARZWALD - ENLARGEMENT BEATUY PALAIS**

Technology:	Ultra-filtration
Number of pools:	5
Water surface:	120 m <sup>2</sup>
Circulation rate:	128 m <sup>3</sup> /h
Location of execution:	Titisee - Neustadt
Year of execution:	2011
Project:	Architecture office Wund

\* **TITISEE - BADEPARADIES SCHWARZWALD**

Technology:	Multilayer filter
Number of pools:	6
Water surface:	1.315 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, massage jets, neck shower, crystal shower, 6 big slides, 12 slides for children
Circulation rate:	1.966 m <sup>3</sup> /h
Location of execution:	Titisee - Neustadt
Year of execution:	2009 - 2010
Project:	Architecture office Wund

\* **SCHWÄBISCH GMÜND - INDOOR POOL**

Technology:	Suction filter
Number of pools:	2
Water surface:	188 m <sup>2</sup>
Attractions:	Water surge, massage jets
Circulation rate:	176 m <sup>3</sup> /h
Location of execution:	Schwäbisch Gmünd
Year of execution:	2010
Project:	Engineering office Fritz Engineering

\* **KAUFBEUREN - INDOOR POOL**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	170 m <sup>2</sup>
Attractions:	Broad slide, broad sprout, neck shower
Circulation rate:	192 m <sup>3</sup> /h
Location of execution:	Kaufbeuren
Year of execution:	2009
Project:	ist EnergiePlan

\* **SCHÖNAU AM KÖNIGSSEE - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	4
Water surface:	822 m <sup>2</sup>
Attractions:	Big slide, water mushroom, water fountain
Circulation rate:	636 m <sup>3</sup> /h
Location of execution:	Schönau
Year of execution:	2009 - 2010
Project:	Engineering office Pohl

\* **ERLANGEN - RÖTHELHEIMBAD**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	2.302 m <sup>2</sup>
Attractions:	Flow channel, broad slide, floor bubbles, water mushroom, neck shower
Circulation rate:	1.478 m <sup>3</sup> /h
Location of execution:	Erlangen
Year of execution:	2009 - 2010
Project:	Engineering office Kalb

\* **REGEN - OUTDOOR POOL**

Technology:	Ultra-filtration
Number of pools:	2
Water surface:	1.025 m <sup>2</sup>
Circulation rate:	243 m <sup>3</sup> /h
Location of execution:	Regen
Year of execution:	2009 - 2010
Project:	Engineering office Kopp

\* **ROSENHEIM - OUTDOOR POOL**

Technology:	Sand filters
Number of pools:	3
Water surface:	2.373 m <sup>2</sup>
Attractions:	Broad slide, bubble lounger, massage jets
Circulation rate:	1.520 m <sup>3</sup> /h
Location of execution:	Rosenheim
Year of execution:	2009 - 2010
Project:	ish Engineering office Schinkinger Heise

\* **INGOLSTADT - OUTDOOR POOL – PHASE II**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	1.039 m <sup>2</sup>
Attractions:	Slide, massage jets, flow channel, bubble seats, water mushroom, sprouts
Circulation rate:	932 m <sup>3</sup> /h
Location of execution:	Ingolstadt
Year of execution:	2009 - 2010
Project:	Engineering office Bannert

\* **BERGISCH GLADBACH - MEDITERANA**

Technology:	Sand filter, active charcoal filter
Number of pools:	13
Water surface:	1.130 m <sup>2</sup>
Attractions:	Bubble lounger, floor bubbles, neck shower, massage jets
Circulation rate:	1.178 m <sup>3</sup> /h
Location of execution:	Bergisch Gladbach
Year of execution:	2009
Project:	Engineering office IGP

\* **NEU-ULM - DONAUFREIBAD**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	1.410 m <sup>2</sup>
Circulation rate:	630 m <sup>3</sup> /h
Location of execution:	Neu-Ulm
Year of execution:	2009
Project:	Engineering office Fritz Engineering

\* **FREILASSING - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	1.625 m <sup>2</sup>
Attractions:	Slide, flow channel, floor bubbles, neck shower, cascade
Circulation rate:	1.080 m <sup>3</sup> /h
Location of execution:	Freilassing
Year of execution:	2009
Project:	Engineering office Wach

\* **MUNICH - BARLACHSCHWIMMBAD**

Technology:	Ozone system, active charcoal filter
Number of pools:	1
Water surface:	82 m <sup>2</sup>
Attractions:	Massage jets, hydro flow system
Circulation rate:	76 m <sup>3</sup> /h
Location of execution:	Munich
Year of execution:	2008 - 2009
Project:	Engineering office Hausladen

\* **NAGOLD - WATERPARK**

Technology:	Reconstruction multipurpose pool
Number of pools:	1
Water surface:	930 m <sup>2</sup>
Attractions:	Wide wavy slide
Circulation rate:	490 m <sup>3</sup> /h
Location of execution:	Nagold
Year of execution:	2007 - 2008
Project:	Engineering office Sütterlin + Partner

\* **CRAILSHEIM - INDOOR POOL**

Technology:	Industrial controls, automation system
Number of pools:	2
Water surface:	375 m <sup>2</sup>
Circulation rate:	186 m <sup>3</sup> /h
Location of execution:	Crailsheim
Year of execution:	2008
Project:	Engineering office Kannewischer

\* **CRAILSHEIM - OUTDOOR POOL**

Technology:	Industrial controls, automation system
Number of pools:	6
Water surface:	1.755 m <sup>2</sup>
Circulation rate:	1.040 m <sup>3</sup> /h
Location of execution:	Crailsheim
Year of execution:	2008
Project:	Engineering office Wieland



\* ***AILINGEN – WAVE POOL***

Technology:	Multilayer filter
Number of pools:	2
Water surface:	1.334 m <sup>2</sup>
Attractions:	Water cannon, wave function, bubble seat, slide
Circulation rate:	880 m <sup>3</sup> /h
Location of execution:	Friedrichshafen
Year of execution:	2007 - 2008
Project:	Engineering office Wieland

\* ***INGOLSTADT - OUTDOOR POOL***

Technology:	Multilayer filter
Number of pools:	3
Water surface:	1.900 m <sup>2</sup>
Attractions:	Bubble lounger, neck shower
Circulation rate:	1.031 m <sup>3</sup> /h
Location of execution:	Ingolstadt
Year of execution:	2007 - 2008
Project:	Engineering office Bannert

\* ***MUNICH - DANTEBAD***

Technology:	Multilayer filter
Number of pools:	4
Water surface:	1.679 m <sup>2</sup>
Attractions:	Spray nozzles, water hedgehog, water nozzles, water bell, sprout, broad slide
Circulation rate:	1.070 m <sup>3</sup> /h
Location of execution:	Munich
Year of execution:	2007 - 2008
Project:	Engineering office Kannewischer

\* **GRAFING - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	1.322 m <sup>2</sup>
Attractions:	Broad slide, kids slide, bubble lounger, massage jets, sprout
Circulation rate:	717 m <sup>3</sup> /h
Location of execution:	Grafig
Year of execution:	2007 - 2008
Project:	Engineering office Fritz Engineering

\* **BIBERACH - INDOOR POOL**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	731 m <sup>2</sup>
Attractions:	Kids slide
Circulation rate:	376 m <sup>3</sup> /h
Location of execution:	Biberach
Year of execution:	2008
Project:	Engineering office Kannewischer

\* **BAD BELLINGEN - BALINEA**

Technology:	Sound system, restoration the old system
Location of execution:	Bad Bellingen
Year of execution:	2007
Project:	Engineering office W. Strübin

\* **NECKARSULM - AQUATOLL**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	81 m <sup>2</sup>
Attractions:	Slide, water cannon, water games with light and sound effect
Circulation rate:	119 m <sup>3</sup> /h
Location of execution:	Neckarsulm
Year of execution:	2007
Project:	Engineering office Sütterlin + Partner

\* **LANDSHUT – STADTBAD - FILTER DECONTAMINATION**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	120 m <sup>2</sup>
Circulation rate:	90 m <sup>3</sup> /h
Location of execution:	Landshut
Year of execution:	2007
Project:	Engineering office Hausmann + Rieger

\* **ETTLINGEN - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	4
Water surface:	1.874 m <sup>2</sup>
Attractions:	Broad slide, steep slide, flow channel, waterfall, water source, volcano, water cannon, bubble pool, splash shower, massage jets, bubble lounge
Circulation rate:	1.187 m <sup>3</sup> /h
Location of execution:	Ettlingen
Year of execution:	2007
Project:	Engineering office Kannewischer

\* **WALDKIRCHEN - KAROLI BADEPARK**

Technology:	Ultra-filtration
Number of pools:	5
Water surface:	173 m <sup>2</sup>
Attractions:	Bubble seats, massage jets, neck shower
Circulation rate:	140 m <sup>3</sup> /h
Location of execution:	Waldkirchen
Year of execution:	2007
Project:	Engineering office Haydn Energie Team

\* **WILHELMSHAVEN - INDOOR POOL**

Technology:	Multilayer filter
Number of pools:	9
Water surface:	1.045 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, neck shower, floor bubbles, floor geysers, flow channel, water fountain, water mushroom, water hedgehog, waterfall
Circulation rate:	960 m <sup>3</sup> /h
Location of execution:	Wilhelmshaven
Year of execution:	2006 - 2007
Project:	Architecture office PSP

\* **MUNICH - SCHYRENBAD**

Technology:	Pressure precoat filter
Number of pools:	3
Water surface:	2.540 m <sup>2</sup>
Attractions:	Bubble lounge, flow channel, water bell, water mushroom, water curtain, splash nozzles
Circulation rate:	1.520 m <sup>3</sup> /h
Location of execution:	Munich
Year of execution:	2006
Project:	Engineering office planplus

\* **WALDSASSEN - OUTDOOR POOL**

Technology:	Ultra-filtration
Number of pools:	3
Water surface:	1.295 m <sup>2</sup>
Attractions:	Sprout, water hedgehog, water cannon
Circulation rate:	360 m <sup>3</sup> /h
Location of execution:	Waldsassen
Year of execution:	2005 - 2006
Project:	Engineering office Raimund Böhringer

\* ***KRAUSNICK - TROPICAL ISLAND***

Technology:	Multilayer filter, active charcoal filter, ozone system
Number of pools:	3
Water surface:	5.450 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seat, floor bubbles, flow channel, water bell, waterfall, water fountain, water hedgehog, water mushroom
Circulation rate:	2.536 m <sup>3</sup> /h
Location of execution:	Krausnick
Year of execution:	2004 - 2005
Project:	Engineering office CL MAP

\* ***PASSAU-KOHLBRUCK - ERLEBNISHALLENBAD***

Technology:	Sand filter
Number of pools:	10
Water surface:	1.310 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, massage jets, floor bubbles, flow channel, sprout, water cannon, water mushroom, water hedgehog
Circulation rate:	1.190 m <sup>3</sup> /h
Location of execution:	Passau
Year of execution:	2004 - 2005
Project:	Architecture office Indoor Pool Passau

\* ***WEINHEIM - WALDSCHWIMMBAD***

Technology:	Multilayer filter
Number of pools:	3
Water surface:	1.945 m <sup>2</sup>
Attractions:	Massage jets, floor bubbles, water cannon, water hedgehog, water mushroom
Circulation rate:	1.280 m <sup>3</sup> /h
Location of execution:	Weinheim
Year of execution:	2004 - 2005
Project:	Engineering office Wave

\* **KEMPTEN - FREIZEITBAD CAMBOMARE**

Technology:	Multilayer filter, sand filter, ozone system, active charcoal filter
Number of pools:	8
Water surface:	1.000 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, neck shower, massage jets, floor bubbles, flow channel, water curtain, water bell, water games
Circulation rate:	1.000 m <sup>3</sup> /h
Location of execution:	Kempton
Year of execution:	2003
Project:	WBP Planungsgesellschaft

\* **INGOLSTADT - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	4
Water surface:	1.150 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, neck shower, massage jets, floor bubbles, flow channel, splash nozzles, water cannon, water bell
Circulation rate:	1.495 m <sup>3</sup> /h
Location of execution:	Ingolstadt
Year of execution:	2002 - 2003
Project:	Engineering office Möller Partner

\* **DORSTEN - FREIZEITBAD ATLANTIS**

Technology:	Multilayer filter
Number of pools:	8
Water surface:	1.600 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, neck shower, massage jets, floor bubbles, flow channel, waterfall, water mushroom, play stone
Circulation rate:	1.530 m <sup>3</sup> /h
Location of execution:	Dorsten
Year of execution:	2002
Project:	Architecture office Ulli G. Hässig

\* **TUTTLINGEN – TUWASS - FREIZEITBAD**

Technology:	Sand filter, active charcoal filter, ozone system
Number of pools:	11
Water surface:	1.100 m <sup>2</sup>
Attractions:	Neck shower, massage jets, flow channel, broad nuzzles, waterfall, water fountain, sprouts, reflex zone foot massage
Circulation rate:	1.039 m <sup>3</sup> /h
Location of execution:	Tuttlingen
Year of execution:	2001 - 2002
Project:	Architecture office Bremer + Bremer

\* **NECKARSULM - AQUATOLL**

Technology:	Sand filter, multilayer filter
Number of pools:	4
Water surface:	550 m <sup>2</sup>
Attractions:	Bubble lounge, massage jets, floor bubbles, flow channel, sprout, waterfall
Circulation rate:	1.450 m <sup>3</sup> /h
Location of execution:	Neckarsulm
Year of execution:	1997 & 2001 - 2002
Project:	Engineering office Kannewischer

\* **SONTHOFEN - WONNEMAR**

Technology:	Multilayer filter
Number of pools:	11
Water surface:	1.100 m <sup>2</sup>
Attractions:	Neck shower, massage jets, flow channel, air-cushion, floor bubbles, waterfall, water mushroom, sprouts, water cannon, bubble lounge, bubble seats, springs, play stone
Circulation rate:	1.395 m <sup>3</sup> /h
Location of execution:	Sonthofen
Year of execution:	2001
Project:	Architecture office Haag

\* **MUNICH - HALLEN- & SOMMERBAD MICHAELIBAD**

Technology:	Sand filter, ozone system, active charcoal filter
Number of pools:	8
Water surface:	255 m <sup>2</sup>
Attractions:	Floor bubbles, sprouts, water hedgehog, neck shower, flow channel, massage jets, bubble seats, bubble lounge
Circulation rate:	796 m <sup>3</sup> /h
Location of execution:	Munich
Year of execution:	2001
Project:	Engineering office Kannewischer Architecture office Schicketanz & Partner

\* **SAARBRÜCKEN - CALYPSO**

Technology:	Sand filter, ozone system, active charcoal filter
Number of pools:	10
Water surface:	1.150 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, neck shower, splash shower, massage jets, floor bubbles, flow channel, floor geyser, waterfall, water labyrinth, reflex zone foot massage
Circulation rate:	1.418 m <sup>3</sup> /h
Location of execution:	Saarbrücken
Year of execution:	2000 - 2001
Project:	Architecture office Bechler & Krummlauf Freie Architekten BDA

\* **MUNICH - OUTDOOR POOL DANTEBAD**

Technology:	Sand filter
Number of pools:	5
Water surface:	1.500 m <sup>2</sup>
Attractions:	Massage jets, flow channel, floor bubbles, bubble lounge, water mushroom, bubble grotto
Circulation rate:	1.400 m <sup>3</sup> /h
Location of execution:	Munich
Year of execution:	1999
Project:	Engineering office Kannewischer Architecture office Schmidt-Schicketanz & Partner



\* **MUNICH – OUTDOOR POOL UNGERERBAD**

Technology:	Sand filter
Number of pools:	5
Water surface:	4.000 m <sup>2</sup>
Attractions:	Water mushroom, sprout, flow channel
Circulation rate:	2.470 m <sup>3</sup> /h
Location of execution:	Munich
Year of execution:	1998
Project:	Engineering office Kannewischer Architecture office Schmidt-Schicketanz & Partner

\* **MUNICH - INDOOR POOL MICHAELIBAD**

Technology:	Sand filter
Number of pools:	2
Water surface:	574 m <sup>2</sup>
Circulation rate:	401 m <sup>3</sup> /h
Location of execution:	Munich
Year of execution:	1998
Project:	Engineering office Kannewischer

\* **MUNICH - OUTDOOR POOL WESTBAD**

Technology:	Sand filter
Number of pools:	4
Water surface:	3.870 m <sup>2</sup>
Attractions:	Water tray, floor bubbles, flow channel, neck shower, water screen
Circulation rate:	2.396 m <sup>3</sup> /h
Location of execution:	Munich
Year of execution:	1997 - 1998
Project:	Reichert, Pranschke, Maluche Architecture office Engineering office Kannewischer

\* **MUNICH - OUTDOOR POOL MICHAELIBAD**

Technology:	Sand filter
Number of pools:	5
Water surface:	3.620 m <sup>2</sup>
Attractions:	Floor bubbles, water mushroom, water fall, sprouts, flow channel, water bell
Circulation rate:	2.291 m <sup>3</sup> /h
Location of execution:	Munich
Year of execution:	1997 - 1998
Project:	Engineering office Kannewischer

\* **MUNICH - INDOOR POOL NORDBAD**

Technology:	Sand filter, ozone system, active charcoal filter
Number of pools:	9
Water surface:	790 m <sup>2</sup>
Attractions:	Water hedgehog, sprouts, floor bubbles, flow channel, neck shower, massage jets, bubble lounger, bubble seats
Circulation rate:	654 m <sup>3</sup> /h
Location of execution:	Munich
Year of execution:	1997
Project:	Engineering office Kannewischer

## HOTEL

### \* **WÖRISHOFEN – STEIGENBERGER HOTEL SONNENALP**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	140 m <sup>2</sup>
Attractions:	Bubble lounge, bubble bench, waterfall
Circulation rate:	120 m <sup>3</sup> /h
Location of execution:	Wörishofen
Year of execution:	2019
Project:	Atzwanger SpA

### \* **OFTERSCHWANG - HOTEL SONNENALP**

Technology:	Sand filter
Number of pools:	3
Water surface:	460 m <sup>2</sup>
Attractions:	Bubble seats, water curtain
Circulation rate:	295 m <sup>3</sup> /h
Location of execution:	Ofterschwang
Year of execution:	2018
Project:	Atzwanger SpA

## REHA & MEDIAL

### \* **WEISSENSTADT – KURZENTRUM SIEBENSTERN**

Technology:	Multilayer filter
Number of pools:	14
Water surface:	1.360 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, massage jets, floor bubbles, water fall, sprouts, flow channel, whirlpool, water games, health pools
Circulation rate:	1.395 m <sup>3</sup> /h
Location of execution:	Weissenstadt
Year of execution:	2015 - 2016
Project:	plafog Planungsgesellschaft mbH

## AUSTRIA

### THERMAL SPAS

#### \* **LAA THERME III – PHASE 1 - 2**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	509 m <sup>2</sup>
Attractions:	Splash shower, bubble lounger, massage jets, bubble seats, fountain, saline pools
Circulation rate:	587 m <sup>3</sup> /h
Location of execution:	Laa a.d. Thaya
Year of execution:	2015 - 2016
Project:	Engineering office GBT Engineering

#### \* **FRAUENKIRCHEN - ST. MARTIN'S THERME – HOTEL ENLARGEMENT & SEA SAUNA**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	132 m <sup>2</sup>
Attractions:	Bubble seats, floor bubbles
Circulation rate:	166 m <sup>3</sup> /h
Location of execution:	Frauenkirchen
Year of execution:	2014
Project:	Engineering office Introplan Rechnitz

#### \* **VIENNA - THERME OBERLAA**

Technology:	Single layer filter, multilayer filter
Number of pools:	24
Water surface:	3.820 m <sup>2</sup>
Attractions:	Grotto basin, thermal basin, slides ,bubble lounger, bubble seats, neck shower, floor bubbles, flow channel, massage jets, waterfall flow system
Circulation rate:	3.970 m <sup>3</sup> /h
Location of execution:	Vienna
Year of execution:	2008 - 2010
Project:	Vamed

\* **FRAUENKIRCHEN - ST. MARTINSTHERME**

Technology:	Multilayer filter, active charcoal filter
Number of pools:	16
Water surface:	1.640 m <sup>2</sup>
Attractions:	Tube slide, thermal water, bubble lounger, bubble seat, massage jets, neck shower
Circulation rate:	1.680 m <sup>3</sup> /h
Location of execution:	Frauenkirchen
Year of execution:	2007 - 2009
Project:	Vamed

\* **BAD ISCHL - KAISERTHERME**

Technology:	Multilayer filter, Captura filter
Number of pools:	8
Water surface:	600 m <sup>2</sup>
Attractions:	Bubble seat, neck shower, bubble lounger, massage jets, floor bubbles
Circulation rate:	818 m <sup>3</sup> /h
Location of execution:	Bad Ischl
Year of execution:	2007 - 2008
Project:	Engineering office Kannewischer

## **WATERPARKS IN- & OUTDOOR SWIMMING POOLS**

### **\* SALZBURG - PARACELSUBAD**

Technology:	Suction filter, multilayer filter
Number of pools:	7
Water surface:	663 m <sup>2</sup>
Attractions:	Slide, kids slide, jump tower, flow channel, water fountain, water tunnel, bubble lounge, bubble seats, water hedgehog, geysers, massage jets, saline pools, warm pool, therapy pool
Circulation rate:	650 m <sup>3</sup> /h
Location of execution:	Salzburg
Year of execution:	2017 - 2019
Project:	Berger architecture office ZT

### **\* WELS – WELLDORADO OUTDOOR POOL**

Technology:	Suction filter
Number of pools:	1
Attractions:	Big slide, jump towers
Circulation rate:	1.030 m <sup>3</sup> /h
Location of execution:	Wels
Year of execution:	2018
Project:	FHK engineering office

### **\* BRUCK AN DER GLOCKNERSTRASSE – SPOTCAMP WOFERLGUT**

Technology:	Multilayer filter
Number of pools:	5
Water surface:	539 m <sup>2</sup>
Attractions:	Slide, tyre slides, bubble lounge, bubble seats, water cannon, water cup, water fish, gold washing rivulet, water snake, massage jets, floor bubbles
Circulation rate:	391 m <sup>3</sup> /h
Location of execution:	Bruck an der Glocknerstrasse
Year of execution:	2018
Project:	Engineering office Hasenauer

\* **WATTENS - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	877 m <sup>2</sup>
Attractions:	Flow channel, massage jets, floor bubbles
Circulation rate:	636 m <sup>3</sup> /h
Location of execution:	Wattens
Year of execution:	2017
Project:	Architecture office Pichler

\* **BAD ZELL – LEBENSQUELL**

**ENLARGEMENT POOL**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	40 m <sup>2</sup>
Circulation rate:	16 m <sup>3</sup> /h
Location of execution:	Bad Zell
Year of execution:	2017
Project:	Architecture office ZT

\* **LECH AM ARLBERG – WALDBAD**

**1. BUILDING PHASE - CHILDREN'S POOL & TRAINING POOL**

Technology:	Suction filter
Number of pools:	2
Water surface:	116 m <sup>2</sup>
Attractions:	Kids slide
Circulation rate:	95 m <sup>3</sup> /h
Location of execution:	Lech am Arlberg
Year of execution:	2017
Project:	Engineering office Tschabrun

\* **SCHEFFAU - KAISERLODGE**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	90 m <sup>2</sup>
Attractions:	Bubble lounger, floor bubbles
Circulation rate:	47 m <sup>3</sup> /h
Location of execution:	Scheffau
Year of execution:	2016 - 2017
Project:	Engineering office Lusser

\* **BLUDENZ – VAL BLU**

Technology:	Multilayer filter
Number of pools:	5
Water surface:	1.554 m <sup>2</sup>
Attractions:	Trio-Slide, kids slide, jump tower, water umbrella, water bell, water hedgehog, bubble lounger, floor bubbles, massage jets, splash nuzzles
Circulation rate:	1.073 m <sup>3</sup> /h
Location of execution:	Bludenz
Year of execution:	2016 - 2017
Project:	Architecture office Pohl ZT

\* **INNSBRUCK – INDOOR POOL AMRASERSTRASSE**

Technology:	Multilayer filter, single layer filter
Number of pools:	5
Water surface:	437 m <sup>2</sup>
Attractions:	Hydro flow system, cold Kneipp basin, warm Kneipp basin
Circulation rate:	235 m <sup>3</sup> /h
Location of execution:	Innsbruck
Year of execution:	2016
Project:	Engineering office IKB



\* **RIED IM INNKREIS - INDOOR POOL**

Technology:	Multilayer filter
Number of pools:	5
Water surface:	483 m <sup>2</sup>
Attractions:	Kids slide, rivulet, water hedgehog, bubble lounge, bubble seats, floor bubbles, massage jets, splash shower
Circulation rate:	375 m <sup>3</sup> /h
Location of execution:	Ried im Innkreis
Year of execution:	2015 - 2016
Project:	Engineering office Wagner & Partner

\* **LIENZ - DOMOLMITENBAD**

Technology:	Multilayer filter
Number of pools:	5
Water surface:	689 m <sup>2</sup>
Attractions:	Floor bubbles, massage jets, neck shower, slide, water fountain, water mushroom
Circulation rate:	580 m <sup>3</sup> /h
Location of execution:	Lienz
Year of execution:	2015 - 2016
Project:	PORR Bau

\* **ST. JOHANN - PANORAMA BADEWELT**

Technology:	Multilayer filter
Number of pools:	4
Water surface:	34 m <sup>2</sup>
Attractions:	Wave chute kids, turbo slide, family slide
Circulation rate:	211 m <sup>3</sup> /h
Location of execution:	St. Johann
Year of execution:	2015
Project:	Engineering office Pro-Plan

\* **ELLMAU – KAISERBAD**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	20 m <sup>2</sup>
Attractions:	Kids slide, turbo slide, tree house, water wheel, tipping barrel, water cannon, water frog, tree trunk, surge pipe, mast with basket, tipping bucket, stand barrel
Circulation rate:	192 m <sup>3</sup> /h
Location of execution:	Ellmau
Year of execution:	2015
Project:	Engineering office Planwerker Holzerber

\* **NENZING - WALGAUBAD**

Technology:	Multilayer filter
Number of pools:	6
Water surface:	2.030 m <sup>2</sup>
Attractions:	Tube slide, broad slide, water mushroom, flow channel, floor bubbles, neck shower, massage jets, bubble lounger, water fountain, floor geysers
Circulation rate:	2.774 m <sup>3</sup> /h
Location of execution:	Nenzing
Year of execution:	2014
Project:	Architecture office Pichler

\* **FULPMES – LEISURE CENTER STUBAY**

Technology:	Suction filter
Number of pools:	9
Water surface:	1.029 m <sup>2</sup>
Attractions:	Tube slide, bubble lounger, bubble seats, floor bubbles, flow channel, water snake, water mushroom
Circulation rate:	899 m <sup>3</sup> /h
Location of execution:	Fulpmes
Year of execution:	2013 - 2014
Project:	Engineering office IWT

\* **ST. PÖLTEN – CITY SPLASH**

Technology:	Multilayer filter
Number of pools:	11
Water surface:	1.903 m <sup>2</sup>
Attractions:	Floor bubbles, massage jets, flow channel, broad slide, tube slide, various attractions, water elephant and clown, bubble lounge, water jet
Circulation rate:	1.357 m <sup>3</sup> /h
Location of execution:	St. Pölten
Year of execution:	2013 - 2014
Project:	Engineering office ied Derkits

\* **OBERPULLENDORF - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	586 m <sup>2</sup>
Attractions:	Broad slide, kids slide, water hedgehog
Circulation rate:	350 m <sup>3</sup> /h
Location of execution:	Oberpullendorf
Year of execution:	2013 - 2014
Project:	Engineering office Ernst Karl

\* **GARSTEN - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	53 m <sup>2</sup>
Attractions:	Water mushroom, rivulet, slide
Circulation rate:	40 m <sup>3</sup> /h
Location of execution:	Garstem
Year of execution:	2013 - 2014

\* **HINTERSTODER - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	500 m <sup>2</sup>
Circulation rate:	283 m <sup>3</sup> /h
Location of execution:	Hinterstoder
Year of execution:	2013
Project:	Architecture office 1 Linz

\* **LANDECK - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	25 m <sup>2</sup>
Attractions:	Water island, water hedgehog, water mushroom
Circulation rate:	103 m <sup>3</sup> /h
Location of execution:	Landeck
Year of execution:	2012
Project:	Engineering office Pohl

\* **VÖLS - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	5
Water surface:	812 m <sup>2</sup>
Attractions:	Slide, splash shower, water mushroom, flow channel, massage jets, water screen, water cannon, water hedgehog, elephant, spray nozzles, wading pool
Circulation rate:	631 m <sup>3</sup> /h
Location of execution:	Völs
Year of execution:	2012
Project:	Architecture office Atelier P2

\* **SALZBURG - AYA BAD**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	448 m <sup>2</sup>
Circulation rate:	192 m <sup>3</sup> /h
Location of execution:	Salzburg
Year of execution:	2012
Project:	Engineering office Pohl

\* **FÜGEN ZILLERTAL - LEISURE CENTER**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	97 m <sup>2</sup>
Attractions:	Massage jets, floor bubbles, bubble lounge
Circulation rate:	126 m <sup>3</sup> /h
Location of execution:	Fügen
Year of execution:	2012
Project:	Engineering office Plankenauer

\* **PUTZLEINSDORF - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	331 m <sup>2</sup>
Circulation rate:	230 m <sup>3</sup> /h
Location of execution:	Putzleinsdorf
Year of execution:	2011 - 2012
Project:	Engineering office Plankenauer

\* **ELBIGENALP - OUTDOOR POOL OBERLECHTAL**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	338 m <sup>2</sup>
Attractions:	Slide, water hedgehog, waterfall
Circulation rate:	227 m <sup>3</sup> /h
Location of execution:	Elbigenalp
Year of execution:	2011 - 2012
Project:	Engineering office Pohl

\* **MUTTERS - RESTORING OF THE OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	358 m <sup>2</sup>
Attractions:	Broad slide, neck shower, floor bubbles, fountain, water mushroom
Circulation rate:	286 m <sup>3</sup> /h
Location of execution:	Mutters
Year of execution:	2011 - 2012
Project:	Engineering office Pohl

\* **THALGAU - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	49 m <sup>2</sup>
Attractions:	Slide, water bell, water hedgehog, water island
Circulation rate:	175 m <sup>3</sup> /h
Location of execution:	Thalgau
Year of execution:	2011 - 2012
Project:	Engineering office Pohl

\* **WELS - RESTORING OF THE OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	2.105 m <sup>2</sup>
Attractions:	Slide, kids slide, rivulet
Circulation rate:	1.061 m <sup>3</sup> /h
Location of execution:	Wels
Year of execution:	2011 - 2012
Project:	Magistrat Wels

\* **VIENNA - SCHULZENTRUM UNGARGASSE**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	120 m <sup>2</sup>
Attractions:	Counter current system
Circulation rate:	120 m <sup>3</sup> /h
Location of execution:	Vienna
Year of execution:	2012
Project:	Engineering office ied Derkits

\* **INNSBRUCK IKB – INDOOR POOL SALURNERSTRASSE**

Technology:	Multilayer filter
Number of pools:	4
Water surface:	43 m <sup>2</sup>
Attractions:	Warm pool, cold water pool, warm Kneipp basin, cold Kneipp basin
Circulation rate:	25 m <sup>3</sup> /h
Location of execution:	Innsbruck
Year of execution:	2011
Project:	IKB

\* **ZELL AM SEE - INDOOR POOL**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	340 m <sup>2</sup>
Attractions:	Slide, whirlpool, neck shower, massage jets
Circulation rate:	345 m <sup>3</sup> /h
Location of execution:	Zell am See
Year of execution:	2010
Project:	Engineering office GTB A. Fahrner

\* **KAPRUN - TAUERN SPA WORLD**

Technology:	Multilayer filter, active charcoal filter
Number of pools:	18
Water surface:	2.010 m <sup>2</sup>
Attractions:	Bubble lounger, waterfall, slide, massage jets, floor bubbles, flow channel
Circulation rate:	1.877 m <sup>3</sup> /h
Location of execution:	Kaprun
Year of execution:	2009 - 2010
Project:	Vamed

\* **INNSBRUCK -INDOOR POOL O-DORF**

Technology:	Single layer filter
Number of pools:	2
Water surface:	4 m <sup>2</sup>
Attractions:	Diving pool, Kneipp basin
Circulation rate:	3 m <sup>3</sup> /h
Location of execution:	Innsbruck
Year of execution:	2009 - 2010
Project:	IKB



\* **SCHRUNS - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	525 m <sup>2</sup>
Circulation rate:	210 m <sup>3</sup> /h
Location of execution:	Schruns
Year of execution:	2008 - 2009
Project:	Engineering office Ernst Karl

\* **BAD GOISERN - OUTDOOR POOL**

Restoration of pumping room at outdoor pool	
Location of execution:	Bad Goisern
Year of execution:	2008

\* **RIEZLERN - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	977 m <sup>2</sup>
Attractions:	Water mushroom, big slides, broad slide, splash shower
Circulation rate:	740 m <sup>3</sup> /h
Location of execution:	Riezlern
Year of execution:	2009 - 2010
Project:	Engineering office Pohl

\* **AUROLMÜNSTER - KIDS POOL**

Technology:	Kids pool - stainless steel
Number of pools:	1
Water surface:	45 m <sup>2</sup>
Attractions:	Water hedgehog, slide, bubble nuzzles
Circulation rate:	42 m <sup>3</sup> /h
Location of execution:	Aurolzmünster
Year of execution:	2008 - 2009

\* **INNSBRUCK - INDOOR POOL O-DORF**

Technology:	Multilayer filter, multi flow filter
Number of pools:	4
Water surface:	500 m <sup>2</sup>
Attractions:	Speed slide, tube slide, walkthrough basin
Circulation rate:	312 m <sup>3</sup> /h
Location of execution:	Innsbruck
Year of execution:	2008
Project:	IKB

\* **LÄNGENFELD - AQUA DOME**

Refrigeration system at the thermal Tirol Längenfeld	
Location of execution:	Längenfeld
Year of execution:	2007 - 2008
Project:	Engineering office Plankenauer / Vamed

\* **STUMM - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	4
Water surface:	730 m <sup>2</sup>
Attractions:	Tube slide, broad slide, bubble lounger, floor bubbles
Circulation rate:	588 m <sup>3</sup> /h
Location of execution:	Stumm
Year of execution:	2007 - 2008
Project:	Engineering office Hans Bodner

\* **LÄNGENFELD - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	627 m <sup>2</sup>
Attractions:	Slide
Circulation rate:	481 m <sup>3</sup> /h
Location of execution:	Längenfeld
Year of execution:	2007 - 2008
Project:	Engineering office Pohl

\* **MARCHTRENK - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	106 m <sup>2</sup>
Attractions:	Water spraying animal, snake slide
Circulation rate:	73 m <sup>3</sup> /h
Location of execution:	Marchtrenk
Year of execution:	2009
Project:	Engineering office Greif Haustechnik

\* **LEOBEN - ASIA SPA**

Technology:	Multilayer filter
Number of pools:	14
Water surface:	2.550 m <sup>2</sup>
Attractions:	Slides, bubble lounger, floor bubbles
Circulation rate:	1.775 m <sup>3</sup> /h
Location of execution:	Leoben
Year of execution:	2007 - 2008
Project:	Engineering office Angerer Walter

\* **WALD IN PINZGAU - KRISTALLBAD**

Technology:	Multilayer filter
Number of pools:	3
Attractions:	Massage jets, floor bubbles, bubble lounger
Circulation rate:	226 m <sup>3</sup> /h
Location of execution:	Wald in Pinzgau
Year of execution:	2007
Project:	Engineering office Ernst Feuersinger

\* **WAIDHOFEN AN DER THAYA - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	4
Attractions:	Diving pool, floor bubbles, tube slide, splash shower
Circulation rate:	577 m <sup>3</sup> /h
Location of execution:	Waidhofen an der Thaya
Year of execution:	2006 - 2007
Project:	Engineering office Ernst Karl

\* **WATTENS - ALPENBAD**

Technology:	Multi flow filter
Number of pools:	2
Attractions:	Diving pool
Circulation rate:	182 m <sup>3</sup> /h
Location of execution:	Wattens
Year of execution:	2006 – 2007

\* **INNSBRUCK - INDOOR POOL HÖTTINGER AU**

Technology:	Multilayer filter
Number of pools:	3
Circulation rate:	280 m <sup>3</sup> /h
Location of execution:	Innsbruck
Year of execution:	2006 - 2007
Project:	IKB

\* **SPITTAL AN DER DRAU - INDOOR POOL**

Technology:	Multilayer filter
Number of pools:	8
Attractions:	Floor bubbles, water canon, splash shower
Circulation rate:	644 m <sup>3</sup> /h
Location of execution:	Spittal an der Drau
Year of execution:	2007 - 2008
Project:	Strabag

\* **ST. JOHANN - PANORAMABAD**

Technology: Electrolysis system  
Location of execution: St. Johann in Tirol  
Year of execution: 2006

\* **LEUTASCH - ALPENBAD**

Technology: Multilayer filter  
Number of pools: 4  
Attractions: Bubble lounger, floor bubbles  
Circulation rate: 490 m<sup>3</sup>/h  
Location of execution: Leutasch  
Year of execution: 2007 - 2008  
Project: Engineering office Stefan Heger

\* **GUNSKIRCHEN - SCHULSCHWIMMBAD**

Technology: Multilayer filter  
Number of pools: 2  
Circulation rate: 116 m<sup>3</sup>/h  
Location of execution: Gunskirchen  
Year of execution: 2006  
Project: Engineering office H. Prandner

\* **INNSBRUCK - OLYMPISCHES DORF**

Technology: Multilayer filter  
Number of pools: 2  
Water surface: 390 m<sup>2</sup>  
Attractions: Waterfall, spraying animal, water games  
Circulation rate: 124 m<sup>3</sup>/h  
Location of execution: Innsbruck  
Year of execution: 2006  
Project: Engineering office Mag. Ivo Martinek

\* **FÜGEN - LEISURE CENTER ZILLERTAL**

Technology:	Multilayer filter
Number of pools:	9
Water surface:	895 m <sup>2</sup>
Attractions:	Bubble lounge, bubble stairs, bubble seats, floor bubbles, massage jets, water tray, splash shower, neck shower, water curtain, flow channel, fountain, water spraying animal, spray nozzles, rainbow, massage bench, foot massage nozzles
Circulation rate:	1.006 m <sup>3</sup> /h
Location of execution:	Fügen
Year of execution:	2005 - 2006
Project:	Lochs Baumanagement

**HELFENBERG - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	400 m <sup>2</sup>
Attractions:	Floor bubbles
Circulation rate:	265 m <sup>3</sup> /h
Location of execution:	Helfenberg
Year of execution:	2005 - 2006
Project:	Engineering office Projekt Bureau

\* **BREGENZ - STRANDBAD**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	49 m <sup>2</sup>
Circulation rate:	190 m <sup>3</sup> /h
Location of execution:	Bregenz
Year of execution:	2005
Project:	Engineering office Pflügl & Roth

\* **OBERKAPPEL - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	298 m <sup>2</sup>
Circulation rate:	182 m <sup>3</sup> /h
Location of execution:	Oberkappel
Year of execution:	2005
Project:	Engineering office Plankenauer

\* **BAD ZELL - INDOOR POOL LEBENSQUELL**

Technology:	Multilayer filter
Number of pools:	4
Water surface:	226 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, massage jets, floor bubbles, gush shower
Circulation rate:	320 m <sup>3</sup> /h
Location of execution:	Bad Zell
Year of execution:	2004 - 2005
Project:	Architecture office Stögmüller

\* **PERCHTOLDSORF - ERHOLUNGSZENTRUM KIDS POOL**

Technology:	Multi flow filter
Number of pools:	1
Water surface:	80 m <sup>2</sup>
Attractions:	Floor bubbles
Circulation rate:	92 m <sup>3</sup> /h
Location of execution:	Perchtoldsdorf
Year of execution:	2004 - 2005
Project:	Engineering office DI Herbert Marszalek

\* **SAALBACH - LEISURE CENTER KÄPT'N HOOK (PETER PAN)**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	1.015 m <sup>2</sup>
Attractions:	Water cannon, flow channel, massage jets, floor bubbles, bubble lounger, bubbles seats
Circulation rate:	810 m <sup>3</sup> /h
Location of execution:	Saalbach
Year of execution:	2004
Project:	Wimmreiter & Partner

\* **HERZOGENBURG - OUTDOOR POOL**

Technology:	Multilayer filter, active charcoal filter
Number of pools:	4
Water surface:	1.480 m <sup>2</sup>
Attractions:	Floor bubbles, flow channel, spray nozzles, water hedgehog
Circulation rate:	670 m <sup>3</sup> /h
Location of execution:	Herzogenburg
Year of execution:	2004
Project:	Engineering office Ernst Karl Architecture office Friedrich Göbel

\* **OFFENHAUSEN - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	303 m <sup>2</sup>
Attractions:	Play rivulet, floor bubbles
Circulation rate:	240 m <sup>3</sup> /h
Location of execution:	Offhausen
Year of execution:	2003 - 2004
Project:	Engineering office Plankenauer



\* **BERGHEIM - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	4
Water surface:	995 m <sup>2</sup>
Attractions:	Massage jets, floor bubbles, flow channel, splash shower, water mushroom, water hedgehog
Circulation rate:	700 m <sup>3</sup> /h
Location of execution:	Bergheim
Year of execution:	2002 - 2003
Project:	Architecture office Werner Wiedmann

\* **SCHWAZ - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	5
Water surface:	1.600 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, neck shower, massage jets, floor bubbles, water hedgehog, water wall, water bowl, water bell flow channel, water cannon
Circulation rate:	1.090 m <sup>3</sup> /h
Location of execution:	Schwaz
Year of execution:	2002 - 2003
Project:	Engineering office Bichler & Erber

\* **NIEDERNDORF - OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	5
Water surface:	980 m <sup>2</sup>
Attractions:	Bubble lounge, massage jets, water hedgehog, floor bubbles, floor shower, splash shower, water cannon
Circulation rate:	650 m <sup>3</sup> /h
Location of execution:	Niederndorf
Year of execution:	2002 - 2003
Project:	Engineering office Bichler & Erber

\* **INZING - OUTDOOR POOL**

Technology:	Multi flow filter
Number of pools:	2
Water surface:	870 m <sup>2</sup>
Circulation rate:	425 m <sup>3</sup> /h
Location of execution:	Inzing
Year of execution:	2002
Project:	Engineering office Ing. C. Kofler

## HOTEL

### \* **SCHLADMING - HOTEL SCHWAIGERHOF**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	169 m <sup>2</sup>
Attractions:	Bubble lounger, massage jets
Circulation rate:	102 m <sup>3</sup> /h
Location of execution:	Schladming
Year of execution:	2016
Project:	Engineering office Schrempf

### \* **BAD- TATZMANNSDORF – HOTEL REITERS SUPREME**

Technology:	Multilayer filter
Number of pools:	4
Water surface:	328 m <sup>2</sup>
Attractions:	Bubble lounger, bubble seats, massage jets, floor bubbles, splash shower
Circulation rate:	246 m <sup>3</sup> /h
Location of execution:	Bad Tatzmannsdorf
Year of execution:	2015
Project:	Engineering office Fertner

### \* **UDERNS - GOLFHOTEL**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	54 m <sup>2</sup>
Attractions:	Massage jets
Circulation rate:	37 m <sup>3</sup> /h
Location of execution:	Uderns
Year of execution:	2014
Project:	Engineering office Walter Angerer

\* **ROHRMOOS - HOTEL DIAMOND RESORT**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	119 m <sup>2</sup>
Circulation rate:	75 m <sup>3</sup> /h
Location of execution:	Rohrmoos
Year of execution:	2014
Project:	Engineering office Ringhofer

\* **SALZBURG - HOTEL SCHLOSS MÖNCHSTEIN**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	115 m <sup>2</sup>
Attractions:	Massage jet, floor bubbles, bubble lounge
Circulation rate:	78 m <sup>3</sup> /h
Location of execution:	Salzburg
Year of execution:	2013 - 2014
Project:	Engineering office ipk Heidelberg

\* **LECH - BERGCHALET THIAN**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	4 m <sup>2</sup>
Attractions:	Floor bubbles, bubble lounge
Circulation rate:	22 m <sup>3</sup> /h
Location of execution:	Lech
Year of execution:	2013
Project:	Engineering office Schaschl

\* **MÖSERN - HOTEL FOR FRIENDS**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	378 m <sup>2</sup>
Attractions:	Floor bubbles, bubble lounge, bubble seats
Circulation rate:	325 m <sup>3</sup> /h
Location of execution:	Mösern
Year of execution:	2014
Project:	Engineering office Lakata

\* **VIENNA - HOTEL AM HOF**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	120 m <sup>2</sup>
Circulation rate:	54 m <sup>3</sup> /h
Location of execution:	Vienna
Year of execution:	2013 - 2014
Project:	Engineering office Lakata

\* **VIENNA - VIENNA DC TOWER**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	52 m <sup>2</sup>
Circulation rate:	21 m <sup>3</sup> /h
Location of execution:	Vienna
Year of execution:	2013

\* **STEEG - HOTEL POST**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	101 m <sup>2</sup>
Attractions:	Massage jets, bubble lounge, splash shower, floor bubbles
Circulation rate:	97 m <sup>3</sup> /h
Location of execution:	Steeg
Year of execution:	2013
Project:	Engineering office Schaschl

\* **SCHLADMING – HOTEL FALKENSTEINER**

Technology:	Multilayer filter, single layer filter
Number of pools:	3
Water surface:	138 m <sup>2</sup>
Attractions:	Splash shower, bubble lounger, bubble seats
Circulation rate:	195 m <sup>3</sup> /h
Location of execution:	Schladming
Year of execution:	2012
Project:	Engineering office Ing. Karl Pechmann

\* **OBERGURGL - HOTEL BERGWELT**

Technology:	Single layer filter
Number of pools:	2
Water surface:	67 m <sup>2</sup>
Attractions:	Hydro flow system, splash shower, massage jets, floor bubbles
Circulation rate:	90 m <sup>3</sup> /h
Location of execution:	Obergurgl
Year of execution:	2012
Project:	Architecture office Haid & Falkner

\* **WERFENWENG – HOTEL BERGRESORT**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	224 m <sup>2</sup>
Attractions:	Bubble lounger, bubble seat, floor bubbles
Circulation rate:	200 m <sup>3</sup> /h
Location of execution:	Werfenweng
Year of execution:	2011 - 2012
Project:	Architecture office Consult ZT

\* **SÖLDEN - TYROLERHOF**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	100 m <sup>2</sup>
Attractions:	Bubble nuzzles, bubble lounge
Circulation rate:	85 m <sup>3</sup> /h
Location of execution:	Sölden
Year of execution:	2012
Project:	Engineering office Hasenauer

**FILZMOOS - HOTEL BISCHOFSMÜTZE**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	67 m <sup>2</sup>
Attractions:	Hydro flow system, floor bubbles, bubble lounge
Circulation rate:	45 m <sup>3</sup> /h
Location of execution:	Filzmoos
Year of execution:	2012
Project:	Engineering office Schrempd

\* **HERMAGOR - FAMILY RESORT HOTEL SONNENALPE - RECONSTRUCTION**

Technology:	Multilayer filter
Number of pools:	4
Water surface:	145 m <sup>2</sup>
Attractions:	Outdoor pool, warm pool, kids pool
Circulation rate:	228 m <sup>3</sup> /h
Location of execution:	Hermagor
Year of execution:	2011
Project:	Engineering office PMC

\* **HINTERTUX - HOTEL BERGHOF**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	150 m <sup>2</sup>
Attractions:	Indoor and outdoor pool, whirlpool
Circulation rate:	100 m <sup>3</sup> /h
Location of execution:	Hintertux
Year of execution:	2010
Project:	Engineering office Walter Angerer

\* **SERFAUS - HOTEL FURGLER**

Technology:	Multilayer filter
Number of pools:	4
Water surface:	100 m <sup>2</sup>
Attractions:	Broad slide, neck shower, bubble seat
Circulation rate:	200 m <sup>3</sup> /h
Location of execution:	Serfaus
Year of execution:	2010
Project:	Engineering office Pohl

\* **BAD LEONFELDEN - HOTEL FALKENSTEINER**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	250 m <sup>2</sup>
Attractions:	Bubble lounger, massage jets
Circulation rate:	230 m <sup>3</sup> /h
Location of execution:	Bad Leonfelden
Year of execution:	2008 - 2009
Project:	Engineering office Die Haustechniker



\* **BAD SCHALLERBACH - HOTEL STROISSMÜLLER**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	115 m <sup>2</sup>
Attractions:	Bubble lounge, floor bubbles, massage jets
Circulation rate:	66 m <sup>3</sup> /h
Location of execution:	Bad Schallerbach
Year of execution:	2008 - 2009
Project:	Engineering office Angerer Walter

\* **ST. AGATHA - HOTEL KOCHER**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	90 m <sup>2</sup>
Attractions:	Massage jets
Circulation rate:	59 m <sup>3</sup> /h
Location of execution:	St. Agatha
Year of execution:	2008 - 2009
Project:	Engineering office Widmann

\* **ST. JOHANN IN PONGAU - HOTEL SONNENHOF**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	115 m <sup>2</sup>
Attractions:	Bubble lounge
Circulation rate:	66 m <sup>3</sup> /h
Location of execution:	St. Johann i. Pongau
Year of execution:	2008
Project:	Engineering office Allesplan

\* **BAD BLEIBERG - HOTEL BLEIBERGERHOF**

Technology:	Multilayer filter
Number of pools:	3
Attractions:	Neck shower, massage jets
Circulation rate:	113 m <sup>3</sup> /h
Location of execution:	Bad Bleiberg
Year of execution:	2006 - 2007
Project:	Küblböck Öko Systems

\* **HIRSCHEGG - WELLNESSHOTEL WALSERHOF**

Technology:	Multilayer filter
Number of pools:	1
Attractions:	Outdoor whirlpool
Circulation rate:	18 m <sup>3</sup> /h
Location of execution:	Hirschegg
Year of execution:	2007

\* **LERMOOS - HOTEL BELLEVUE**

Technology:	Multilayer filter
Number of pools:	1
Attractions:	Hydro flow system
Circulation rate:	13 m <sup>3</sup> /h
Location of execution:	Lermoos
Year of execution:	2007

\* **KREMS AN DER DONAU - HOTEL AVANCE STEINBERGER**

Technology:	Single layer filter
Number of pools:	2
Water surface:	73 m <sup>2</sup>
Attractions:	Massage jets
Circulation rate:	48 m <sup>3</sup> /h
Location of execution:	Krems an der Donau
Year of execution:	2005 - 2007
Project:	Architecture office DI Ernst Maurer

\* **JERZENS - HOTEL JERZNERHOF**

Technology:	Single layer filter, multilayer filter
Number of pools:	6
Water surface:	107 m <sup>2</sup>
Attractions:	Massage jets, bubble seats, splash shower, floor bubbles
Circulation rate:	105 m <sup>3</sup> /h
Location of execution:	Jerzens
Year of execution:	2006
Project:	Engineering office Norbert Fröch

\* **LERMOOS - HOTEL POST**

Technology:	Single layer filter, multilayer filter
Number of pools:	4
Water surface:	175 m <sup>2</sup>
Attractions:	Flow channel, bubble lounger, bubble seats, neck shower, massage jets
Circulation rate:	259 m <sup>3</sup> /h
Location of execution:	Lermoos
Year of execution:	2006
Project:	Engineering office Walch ZT

\* **BAD TATZMANNSDORF - HOTEL REITERS SUPREME**

Technology:	Multilayer filter
Number of pools:	7
Water surface:	429 m <sup>2</sup>
Attractions:	Water fountain, massage jets, bubble seats, bubble lounger, floor bubbles
Circulation rate:	475 m <sup>3</sup> /h
Location of execution:	Bad Tatzmannsdorf
Year of execution:	2005
Project:	Engineering office Ökoplan Hartberg

\* **TRÖPOLACH - HOTEL CARINZIA**

Technology:	Multilayer filter
Number of pools:	9
Water surface:	460 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, massage jets, floor bubbles, neck shower
Circulation rate:	436 m <sup>3</sup> /h
Location of execution:	Tröpolach
Year of execution:	2005
Project:	Michaeler & Partner

\* **KATSCHBERG - HOTEL HUBERTUS**

Technology:	Multilayer filter, single layer filter
Number of pools:	6
Water surface:	285 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, massage jets, floor bubbles, neck shower, splash shower
Circulation rate:	300 m <sup>3</sup> /h
Location of execution:	Katschberg
Year of execution:	2005
Project:	Michaeler & Partner

\* **KITZBÜHEL - SCHLOSSHOTEL**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	78 m <sup>2</sup>
Attractions:	Neck shower, jet stream, massage jets
Circulation rate:	115 m <sup>3</sup> /h
Location of execution:	Kitzbühl
Year of execution:	2005
Project:	IS Industrial Services

\* **LECH AM ARLBERG - HOTEL ELISABETH**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	40 m <sup>2</sup>
Attractions:	Massage jets
Circulation rate:	38 m <sup>3</sup> /h
Location of execution:	Lech am Arlberg
Year of execution:	2005

\* **HINTERTUX - ERLEBNISHOTEL HOHENHAUS**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	120 m <sup>2</sup>
Attractions:	Bubble lounge
Circulation rate:	115 m <sup>3</sup> /h
Location of execution:	Hintertux
Year of execution:	2004 - 2005
Project:	Engineering office Alfred Lanziner

\* **KATSCHBERG - HOTEL FALKENSTEINER AQUAPURA**

Technology:	Multilayer filter
Number of pools:	8
Water surface:	335 m <sup>2</sup>
Attractions:	Bubble lounge, neck shower, water mushroom, floor bubbles, massage jets, splash shower
Circulation rate:	383 m <sup>3</sup> /h
Location of execution:	Katschberg
Year of execution:	2004
Project:	Michaeler & Partner

\* **OBERTAUERN - HOTEL SCHNEIDER**

Technology:	Multilayer filter, single layer filter
Number of pools:	2
Water surface:	68 m <sup>2</sup>
Attractions:	Flow channel, splash shower, massage jets, bubble seats
Circulation rate:	64 m <sup>3</sup> /h
Location of execution:	Obertauern
Year of execution:	2004
Project:	Engineering office Matthias Schrempf

\* **ST. LEONHARD - HOTEL VIERJAHRESZEITEN**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	108 m <sup>2</sup>
Attractions:	Flow channel, massage jets, bubble seats, floor bubbles
Circulation rate:	126 m <sup>3</sup> /h
Location of execution:	St. Leonhard
Year of execution:	2004
Project:	Architecture office Atelier Krissmer & Partner

\* **JERZENS - HOTEL ANDY**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	93 m <sup>2</sup>
Attractions:	Floor bubbles, flow channel, massage jets, splash shower
Circulation rate:	106 m <sup>3</sup> /h
Location of execution:	Jerzens
Year of execution:	2004
Project:	Architecture office Atelier Krissmer & Partner

\* **WINDISCHGARSTEN - DILLY'S WELLNESSHOTEL**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	53 m <sup>2</sup>
Attractions:	Flow channel, massage jets, floor bubbles, bubble lounge

Circulation rate: 133 m<sup>3</sup>/h  
Location of execution: Windischgarsten  
Year of execution: 2004  
Project: Berndorf Bäderbau

\* **GROBARL - HOTEL WALDHOF**

Technology: Multilayer filter  
Number of pools: 3  
Water surface: 116 m<sup>2</sup>  
Attractions: Flow channel, massage jets, floor bubbles  
Circulation rate: 85 m<sup>3</sup>/h  
Location of execution: Großarl  
Year of execution: 2004  
Project: Engineering office Gerhard Scherzer

\* **LERMOOS - KINDERHOTEL ALPENROSE**

Technology: Multilayer filter  
Number of pools: 5  
Water surface: 126 m<sup>2</sup>  
Attractions: Water cannon, water spraying animal, gold washing rivulet,  
waterfall, bubble lounge, bubble seats, floor bubbles, massage jets  
Circulation rate: 175 m<sup>3</sup>/h  
Location of execution: Lermoos  
Year of execution: 2003  
Project: Architecture office Michelmann

\* **GRÄN - HOTEL LIEBES ROT FLÜH**

Technology: Multilayer filter, single layer filter  
Number of pools: 4  
Water surface: 385 m<sup>2</sup>  
Attractions: Massage jets, bubble lounge, waterfall, flow channel,  
floor bubbles  
Circulation rate: 339 m<sup>3</sup>/h  
Location of execution: Grän  
Year of execution: 2003  
Project: Engineering office Christian Fleischer

\* **WALTERSDORF - HOTEL STEIRERHOF**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	400 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, neck shower, massage jets, floor bubbles
Circulation rate:	100 m <sup>3</sup> /h
Location of execution:	Waltersdorf
Year of execution:	2003
Project:	Engineering office Kannewischer



## **REHA & MEDICAL**

### **\* ST. VEIT IM PONGAU - REHA**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	20 m <sup>2</sup>
Attractions:	Kids slide
Circulation rate:	30 m <sup>3</sup> /h
Location of execution:	St. Veit im Pongau
Year of execution:	2017
Project:	TGA – Engineering

### **HALL IN TIROL - LANDESKRANKENHAUS**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	45 m <sup>2</sup>
Attractions:	Therapy pool, hose massage station
Circulation rate:	58 m <sup>3</sup> /h
Location of execution:	Hall in Tirol
Year of execution:	2016
Project:	Engineering office SHP

### **BADEN – RSKA RHEUMA- & SONDERKRANKENANSTALT**

Technology:	Multilayer filter
Number of pools:	5
Water surface:	365 m <sup>2</sup>
Attractions:	Sulfur bath, flow basin, massage jets, hose massage station
Circulation rate:	421 m <sup>3</sup> /h
Location of execution:	Baden, Vienna area
Year of execution:	2014
Project:	Engineering office GBT Planung

\* **ENNS - RZE THERAPIEZENTRUM**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	34 m <sup>2</sup>
Circulation rate:	34 m <sup>3</sup> /h
Location of execution:	Enns
Year of execution:	2014 - 2015
Project:	Engineering office Greif Haustechnik

\* **BAD ERLACH - SKA & GESUNDHEITZENTRUM**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	81 m <sup>2</sup>
Circulation rate:	89 m <sup>3</sup> /h
Location of execution:	Bad Erlach
Year of execution:	2014
Project:	Engineering office Politschnig-Salbrechter

\* **STROBL - SCHLOSSHOTEL ALPENMOORBAD**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	96 m <sup>2</sup>
Attractions:	Massage jets, floor bubbles, bubble lounge
Circulation rate:	95 m <sup>3</sup> /h
Location of execution:	Strobl
Year of execution:	2014
Project:	Brandl Bau

\* **HARBACH - MOORHEILBAD**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	30 m <sup>2</sup>
Attractions:	Whirlpool, therapy pool
Circulation rate:	80 m <sup>3</sup> /h
Location of execution:	Harbach
Year of execution:	2011
Project:	Engineering office Wagner & Partner

\* **ASPACH - GESUNDHEITSHOTEL REVITAL**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	103 m <sup>2</sup>
Attractions:	Indoor and outdoor pool
Circulation rate:	59 m <sup>3</sup> /h
Location of execution:	Aspach
Year of execution:	2011
Project:	Engineering office TGA

\* **BAD SAUERBRUNN - GESUNDHEITSZENTRUM**

Technology:	Multilayer filter
Number of pools:	2
Circulation rate:	24 m <sup>3</sup> /h
Location of execution:	Bad Sauerbrunn
Year of execution:	2008 - 2009
Project:	Vamed

\* **ASPACH - KNEIPP KURHAUS**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	45 m <sup>2</sup>
Attractions:	Massage jets, splash shower, floor bubbles
Circulation rate:	40 m <sup>3</sup> /h
Location of execution:	Aspach
Year of execution:	2006
Project:	Engineering office Ing. Grillenberger

\* **BAD VÖSLAU - KURZENTRUM**

Technology:	Multilayer filter, single layer filter
Number of pools:	7
Water surface:	507 m <sup>2</sup>
Attractions:	Massage jets, floor bubbles, bubble seats, flow channel
Circulation rate:	320 m <sup>3</sup> /h
Location of execution:	Bad Vöslau
Year of execution:	2004 - 2005
Project:	Baumanagement König

\* **BAD REUTHE - MOORHEILBAD KURHOF**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	245 m <sup>2</sup>
Attractions:	Neck shower, massage jets, floor bubbles, bubble lounge, bubble seats
Circulation rate:	260 m <sup>3</sup> /h
Location of execution:	Bad Reuthe
Year of execution:	2003
Project:	Engineering office Dür

## SWITZERLAND

### THERMAL SPAS

#### \* **BAD SCHINZNACH - THERMI & AQUARENA**

Technology:	Sand filter, active charcoal filter
Number of pools:	6
Water surface:	447 m <sup>2</sup>
Attractions:	Bubble lounger, bubble seats, tube slide, neck shower, massage jets, reflex foot massage, floor bubbles
Circulation rate:	492 m <sup>3</sup> /h
Location of execution:	Bad Schinznach
Year of execution:	2011 - 2012
Project:	Engineering office HK & T Harald Kannewischer & Team

#### \* **ZURICH - THERMALBAD NEPTUN HÜRLIMANNAREAL**

Technology:	Multilayer filter, suction filter
Number of pools:	10
Water surface:	524 m <sup>2</sup>
Attractions:	Massage cage, bubble lounger, bubble seats, massage jets
Circulation rate:	1.052 m <sup>3</sup> /h
Location of execution:	Zurich
Year of execution:	2009 - 2011
Project:	MLG Generalunternehmung

#### \* **BAD RAGAZ - THERME TAMINA - NEW CONSTRUCTION**

Technology:	Sand filter, reaction vessel, ozone system active charcoal filter
Number of pools:	7
Water surface:	670 m <sup>2</sup>
Attractions:	Neck shower, massage lounger, water bowl, reflex foot massage
Circulation rate:	843 m <sup>3</sup> /h
Location of execution:	Bad Ragaz
Year of execution:	2008 - 2009
Project:	HRS

\* **SCUOL - THERMALBAD**

Technology:	Sand filter, active charcoal filter, ozone filter
Number of pools:	12
Water surface:	844 m <sup>2</sup>
Attractions:	Flow channel, bubble seats, bubble lounge, massage jets, waterfall, floor bubbles, water bowl
Circulation rate:	850 m <sup>3</sup> /h
Location of execution:	Scuol
Year of execution:	1991 - 1996
Project:	Architecture office Bezzola Engineering office Kannewischer

## **WATERPARKS IN- & OUTDOOR SWIMMING POOLS**

### **\* ROTHRIST - INDOOR POOL**

Technology:	Multilayer filter, cathode protection
Number of pools:	5
Water surface:	650 m <sup>2</sup>
Attractions:	Slide, bubble lounger, neck shower, jellyfish, water curtain
Circulation rate:	448 m <sup>3</sup> /h
Location of execution:	Rothrist
Year of execution:	2017 - 2019
Project:	Engineering office AquaTransform

### **\* OBERAEGERI AEGERIBAD**

Technology:	Ozone system, multilayer filter, GRP filter waste water treatment, active charcoal filter, partially ozonized, cathode protection, calcium hypochlorite plant
Number of pools:	7
Water surface:	818 m <sup>2</sup>
Attractions:	Slide, kids slide, water mushroom, water hedgehog, water bell, splash nuzzles
Circulation rate:	630 m <sup>3</sup> /h
Location of execution:	Oberaegeri
Year of execution:	2016 - 2018
Project:	Engineering office HK & T Harald Kannewischer & Team

### **\* GELTERKINDEN - INDOOR POOL**

Technology:	Multilayer filter with ozone
Number of pools:	7
Water surface:	1.750 m <sup>2</sup>
Attractions:	Slide, splash nuzzles, water mushroom
Circulation rate:	1.176 m <sup>3</sup> /h
Location of execution:	Gelterkinden
Year of execution:	2017 - 2018
Project:	Engineering office AquaTransform

\* **USTER – BUCHHOLZ INDOOR POOL**

Technology:	Suction filter, sand filter
Number of pools:	6
Water surface:	2.050 m <sup>2</sup>
Attractions:	Floor bubbles, slide, kids slide, air jet, water mushroom, water hedgehog, splash nuzzles
Circulation rate:	1.010 m <sup>3</sup> /h
Location of execution:	Uster
Year of execution:	2015 - 2016
Project:	Engineering office HK & T Harald Kannewischer & Team

\* **GENF - BAIN BLEU HAMMAM & SPA**

Technology:	Sand filter, partially ozonized
Number of pools:	3
Water surface:	400 m <sup>2</sup>
Attractions:	Bubble lounger, bubble seats, massage jets
Circulation rate:	550 m <sup>3</sup> /h
Location of execution:	Genf
Year of execution:	2014 - 2015
Project:	Architecture office G.M. Architectes Associes

\* **OSTERMUNDIGEN - RESTORING POOL**

Location of execution:	Ostermundigen
Year of execution:	2014 - 2015
Project:	Architecture office Urs Köpfli

\* **OPFIKON - MIGROS GLATTPARK**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	172 m <sup>2</sup>
Attractions:	Bubble lounger, neck shower, waterfall
Circulation rate:	244 m <sup>3</sup> /h
Location of execution:	Opfikon
Year of execution:	2014
Project:	Engineering office Schneider Aquatec



\* **ST. MORITZ - INDOOR POOL OVAVERVA**

Technology:	Multilayer filter
Number of pools:	8
Water surface:	812 m <sup>2</sup>
Attractions:	Slide, waterfall, massage jets, bubble seat, bubble lounger, floor bubbles, flow channel
Circulation rate:	851 m <sup>3</sup> /h
Location of execution:	St. Moritz
Year of execution:	2013 - 2014
Project:	Engineering office AquaTransform

\* **ZÜRICH - ZOO ELEFANTENPARK**

Technology:	Multilayer filter, rake filter
Number of pools:	4
Water surface:	800 m <sup>2</sup>
Attractions:	Elephant shower
Circulation rate:	350 m <sup>3</sup> /h
Location of execution:	Zürich
Year of execution:	2013 - 2014
Project:	Engineering office Döhler / Triair

\* **RIVERA - TESSIN SPLASH E SPA TAMARO**

Technology:	Multilayer filter, suction filter
Number of pools:	6
Water surface:	1.375 m <sup>2</sup>
Attractions:	Slides, wave pool, massage jets, bubble seat, bubble lounger
Circulation rate:	1.859 m <sup>3</sup> /h
Location of execution:	Rivera
Year of execution:	2012 - 2013
Project:	TamiCometta

\* **DIETIKON – FONDLI OUTDOOR POOL**

Technology:	Multilayer pressure filter
Number of pools:	4
Water surface:	2.371 m <sup>2</sup>
Attractions:	Slide, flow channel, floor bubbles, neck shower, water umbrella
Circulation rate:	1.368 m <sup>3</sup> /h
Location of execution:	Dietikon
Year of execution:	2012 - 2013
Project:	Engineering office Aquatransform

\* **ROTHRIST – STAMPFI IN- & OUTDOOR POOL**

Technology:	Gravel filter, active charcoal filter
Number of pools:	5
Water surface:	1.363 m <sup>2</sup>
Attractions:	Slide, neck shower
Circulation rate:	801 m <sup>3</sup> /h
Location of execution:	Rothrist
Year of execution:	2012 - 2013
Project:	Architecture office Urs Köppli

\* **ZÜRICH - CITY INDOOR POOL**

Technology:	Reaction vessel, active charcoal filter, ozone system
Number of pools:	3
Water surface:	970 m <sup>2</sup>
Attractions:	Lifting floor
Circulation rate:	409 m <sup>3</sup> /h
Location of execution:	Zürich
Year of execution:	2010 - 2012
Project:	Engineering office Schneider Aquatec

\* **BRONSCHHOFEN - FITNESS ISLAND**

Technology:	Reaction vessel, active charcoal filter, ozone system
Number of pools:	4
Water surface:	202 m <sup>2</sup>
Attractions:	Bubble lounger, massage jets
Circulation rate:	187 m <sup>3</sup> /h
Location of execution:	Bronschhofen / Will
Year of execution:	2011 - 2012
Project:	Engineering office Aquatransform

\* **RIGI KALTBAD - MINERALBAD & SPA**

Technology:	Multilayer filter, active charcoal filter, ozone system
Number of pools:	3
Water surface:	361 m <sup>2</sup>
Attractions:	Bubble lounger, bubble seats, neck shower, massage jets
Circulation rate:	690 m <sup>3</sup> /h
Location of execution:	Rigi Kaltbad
Year of execution:	2011 - 2012
Project:	Engineering office Josef Ottiger & Partner

\* **LIESTAL - GITTERLI GARTENBAD**

Technology:	Sand filter
Number of pools:	3
Water surface:	1.390 m <sup>2</sup>
Attractions:	Broad slide, water sprouts
Circulation rate:	772 m <sup>3</sup> /h
Location of execution:	Liestal
Year of execution:	2010 - 2011
Project:	Architecture office Scherer Architekten

\* **KILCHBERG - INOOR POOL RESTORING**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	614 m <sup>2</sup>
Attractions:	Water splashes, rivulet, water mushroom
Circulation rate:	310 m <sup>3</sup> /h
Location of execution:	Kilchberg
Year of execution:	2009 - 2011
Project:	Unirenova

\* **PONTRESINA - INDOOR POOL**

Technology:	Multilayer filter, active charcoal filter, ozone system
Number of pools:	8
Water surface:	580 m <sup>2</sup>
Attractions:	Massage jets, floor bubbles, waterfall, bubble lounge, splash shower, flow channel
Circulation rate:	485 m <sup>3</sup> /h
Location of execution:	Pontresina
Year of execution:	2007
Project:	CSF Consulting

\* **DIETIKON - FONDLI INDOOR POOL**

Technology:	Multilayer filter, active charcoal filter, ozone system
Number of pools:	4
Water surface:	680 m <sup>2</sup>
Attractions:	Splash shower, water hedgehog
Circulation rate:	420 m <sup>3</sup> /h
Location of execution:	Dietikon
Year of execution:	2007
Project:	CSF Consulting

\* **BERN-BRÜNNEN - WESTSIDE FREIZEITBAD**

Technology:	Multilayer filter, sand filter, ozone system
Number of pools:	18
Water surface:	1.270 m <sup>2</sup>
Attractions:	Neck shower, massage jets, floor bubbles, foot massage jets, bubbles lounge, bubble seats, Jacuzzi, waterfall, flow channel
Circulation rate:	1.845 m <sup>3</sup> /h
Location of execution:	Bern
Year of execution:	2006 - 2007
Project:	Engineering office Kannewischer

\* **DAVOS - INDOOR POOL**

Technology:	Sand filter, active charcoal filter
Number of pools:	5
Water surface:	400 m <sup>2</sup>
Attractions:	Neck shower, massage jets, floor bubbles, bubble lounge, bubble seats
Circulation rate:	346 m <sup>3</sup> /h
Location of execution:	Davos
Year of execution:	2004
Project:	HRS

\* **LIESTAL - GITTERLI IN-& OUTDOOR POOL**

Technology:	Sand filter, active charcoal filter, ozone filter
Number of pools:	3
Water surface:	300 m <sup>2</sup>
Attractions:	Flow channel, neck shower, massage jets, floor bubbles, bubble lounge, bubble seats
Circulation rate:	340 m <sup>3</sup> /h
Location of execution:	Liestal
Year of execution:	2003
Project:	Architecture office Scherer Architekten

\* **LUZERN - MIGROS FITNESSPARK INDOOR POOL**

Technology:	Sand filter, active charcoal filter, ozone filter
Number of pools:	7
Water surface:	350 m <sup>2</sup>
Attractions:	Massage jets, floor bubbles, bubble lounger, neck shower, foot massage jets, waterfall
Circulation rate:	403 m <sup>3</sup> /h
Location of execution:	Luzern
Year of execution:	2000 - 2001
Project:	Engineering office Kannewischer

## HOTEL

### \* **OBBÜRGEN – BÜRGENSTOCK WALDHOTEL**

Technology:	Multilayer filter, ozone filter, seawater preparation
Number of pools:	5
Water surface:	150 m <sup>2</sup>
Attractions:	Flow channel, bubble lounger, neck shower, massage jets, reflex zone foot, water curtain
Circulation rate:	142 m <sup>3</sup> /h
Location of execution:	Obbürgen
Year of execution:	2015 -2017
Project:	Engineering office HK & T Harald Kannewischer & Team

### \* **OBBÜRGEN – BÜRGENSTOCK ALPINE SPA**

Technology:	Multilayer filter, ozone filter, seawater preparation
Number of pools:	14
Water surface:	1.156 m <sup>2</sup>
Attractions:	Slide, flow channel, bubble lounger, bubble seats, massage jets, reflex zone foot, water curtain
Circulation rate:	844 m <sup>3</sup> /h
Location of execution:	Obbürgen
Year of execution:	2015 -2017
Project:	Engineering office HK & T Harald Kannewischer & Team

### \* **ABTWIL – HOTEL SÄNTISPARK - SLIDE**

Technology:	Sand filter, active charcoal filter, ozone system, salt electrolysis systems
Number of pools:	8
Attractions:	5 big slide, 3 slide
Circulation rate:	480 m <sup>3</sup> /h
Location of execution:	Abtwil
Year of execution:	2015 -2016
Project:	Engineering office Josef Ottiger & Partner

\* **ABTWIL – HOTEL SÄNTISPARK – BUBBLE POOLS**

Technology:	Percolated filters, salt electrolysis systems
Number of pools:	3
Water surface:	520 m <sup>2</sup>
Attractions:	Water bell, water canon, floor bubbles, waterfall, rainbow
Circulation rate:	560 m <sup>3</sup> /h
Location of execution:	Abtwil
Year of execution:	2015 -2016
Project:	Engineering office Josef Ottiger & Partner

\* **LAUSANNE – HOTEL ROYAL SAVOY**

Technology:	Multilayer filter, ozone filter
Number of pools:	4
Water surface:	129 m <sup>2</sup>
Attractions:	Massage jets, bubble lounge, bubble seats, reflex zone foot massage, neck shower, flow channel
Circulation rate:	135 m <sup>3</sup> /h
Location of execution:	Lausanne
Year of execution:	2015 -2016
Project:	Engineering office HK & T Harald Kannewischer & Team

\* **LAAX – HOTEL PEAX PLACE**

Technology:	Sand filter
Number of pools:	2
Water surface:	200 m <sup>2</sup>
Attractions:	Bubble lounge, massage jets
Circulation rate:	80 m <sup>3</sup> /h
Location of execution:	Laax
Year of execution:	2015
Project:	HRS



\* **HAUTE NENDAZ – HOTEL MER DE GLACE**

Technology:	Suction filter
Number of pools:	7
Water surface:	260 m <sup>2</sup>
Attractions:	Flow channel, hydro flow system
Circulation rate:	348 m <sup>3</sup> /h
Location of execution:	Haute Nendaz
Year of execution:	2013
Project:	Engineering office IWT

\* **ST. MORITZ – HOTEL KULM**

Technology:	Multilayer filter, active charcoal filter, ozone system
Number of pools:	6
Water surface:	294 m <sup>2</sup>
Attractions:	Massage jets, neck shower, bubble lounger, bubble seats, reflex zone foot massage
Circulation rate:	207 m <sup>3</sup> /h
Location of execution:	St. Moritz
Year of execution:	2012
Project: :	Engineering office HK & T Harald Kannewischer & Team

\* **BAD HORN – HOTEL BAD HORN**

Technology:	Reaction vessel, active charcoal filter, ozone system
Number of pools:	2
Water surface:	66 m <sup>2</sup>
Attractions:	Hydro flow system, massage jets, air jets
Circulation rate:	102 m <sup>3</sup> /h
Location of execution:	Bad Horn
Year of execution:	2009 - 2010
Project:	Engineering office Eggmann

\* ***AROSA - HOTEL BERGOASE TSCHUGGEN***

Technology:	Sand filter, ozone system, active charcoal filter
Number of pools:	5
Water surface:	315 m <sup>2</sup>
Attractions:	Neck shower, massage jets, waterfall, floor bubbles, bubble lounger, bubble seats, sprouts, water screen
Circulation rate:	243 m <sup>3</sup> /h
Location of execution:	Arosa
Year of execution:	2005 - 2006
Project:	Architecture office Mario Botta & Fanzun

\* ***FLIMS - PARKHOTEL WALDHAUS***

Technology:	Multilayer filter, sand filter, active charcoal filter
Number of pools:	4
Water surface:	340 m <sup>2</sup>
Attractions:	Neck shower, massage jets, floor bubbles, bubble lounger
Circulation rate:	253 m <sup>3</sup> /h
Location of execution:	Flims
Year of execution:	2003 - 2004
Project:	Engineering office Schneider Aquatec

## **REHA & MEDIAL**

### **\* TEUFEN – BERIT KLINK**

Technology:	Sand filter
Number of pools:	1
Water surface:	50 m <sup>2</sup>
Circulation rate:	50 m <sup>3</sup> /h
Location of execution:	Teufen
Year of execution:	2015
Project:	HRS

### **\* ST. GALLEN - KURHAUS OBERWAID**

Technology:	Reaction vessel, active charcoal filter, ozone system
Number of pools:	3
Water surface:	214 m <sup>2</sup>
Attractions:	Bubble lounger, neck shower, massage jets
Circulation rate:	157 m <sup>3</sup> /h
Location of execution:	St. Gallen
Year of execution:	2011 - 2012
Project:	Engineering office Schneider Aquatec

### **\* RHEINFELDEN - KURZENTRUM SOLE UNO**

Technology:	Sand filter, active charcoal filter, ozone filter
Number of pools:	3
Water surface:	270 m <sup>2</sup>
Attractions:	Massage jets, floor bubbles, waterfall, bubble lounger, bubble seats, flow channel, foot massage jets
Circulation rate:	266 m <sup>3</sup> /h
Location of execution:	Rheinfelden
Year of execution:	1998
Project:	Engineering office Kannewischer

## ITALY

### THERMAL SPAS

#### \* **MERAN – THERME MERAN**

Technology:	Sand filters, active charcoal filter, ozone system
Number of pools:	25
Water surface:	2.050 m <sup>2</sup>
Attractions:	Massage jets, flow channel, bubble lounge, bubble seats, floor bubbles, neck shower, reflex zone foot massage, water fountain, water mountain, waterfall
Circulation rate:	2.650 m <sup>3</sup> /h
Location of execution:	Meran
Year of execution:	2003 - 2006
Project:	Architecture office Studio Matteo Thun

#### \* **BAGNO VIGNONI - WELLNESS RESORT ADLER THERME**

Technology:	Sand filters, active charcoal filter
Number of pools:	5
Water surface:	950 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, massage jets, waterfall, flow bubbles, flow channel
Circulation rate:	750 m <sup>3</sup> /h
Location of execution:	Bagno Vignoni
Year of execution:	2003 - 2005
Project:	Architecture office Demetz

## **WATERPARKS IN- & OUTDOOR SWIMMING POOLS**

### **\* *SEXTEN - CARAVAN PARK***

Technology:	Multilayer filter
Number of pools:	8
Water surface:	321 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, floor bubbles
Circulation rate:	213 m <sup>3</sup> /h
Location of execution:	Sexten (BZ)
Year of execution:	2019 - 2020
Project:	Atzwanger SpA

### **\* *BRIXEN ACQUARENA – CHILDREN'S POOL RENOVATION***

Number of pools:	1
Water surface:	200 m <sup>2</sup>
Attractions:	Slide, water fountain, floor bubbles, water mushroom, water dragon
Circulation rate:	120 m <sup>3</sup> /h
Location of execution:	Brixen (BZ)
Year of execution:	2015 - 2016
Project:	Atzwanger SpA

### **\* *CAMPI BISENZIO - ASMANA WELLNESS WORLD***

Technology:	Multilayer filter
Number of pools:	11
Water surface:	818 m <sup>2</sup>
Attractions:	Reflex zone foot massage, bubble lounge, flow channel, water curtain, neck shower
Circulation rate:	788 m <sup>3</sup> /h
Location of execution:	Campi Bisenzio (FI)
Year of execution:	2015
Project:	Engineering office Energytech

\* **SPINA - CAMPING VILLAGE**

Technology:	Sand filters
Number of pools:	4
Water surface:	999 m <sup>2</sup>
Attractions:	Floor bubbles, bubble lounge, slide, water spraying animal
Circulation rate:	800 m <sup>3</sup> /h
Location of execution:	Spina (FE)
Year of execution:	2014
Project:	Architecture office Giunchi

\* **ORBETELLO - CAMPING VILLAGE**

Technology:	Sand filters, flocculation – filtration - chlorination
Number of pools:	5
Water surface:	500 m <sup>2</sup>
Attractions:	Massage jets, bubble lounge, bubble seats, different attractions in the children's pool
Circulation rate:	300 m <sup>3</sup> /h
Location of execution:	Orbetello (GR)
Year of execution:	2012
Project:	Atzwanger SpA

\* **CANAZEI - INDOOR POOL**

Technology:	Sand filters, flocculation – filtration - chlorination
Number of pools:	6
Water surface:	675 m <sup>2</sup>
Attractions:	Flow channel, neck shower, floor bubbles, bubble lounge, bubble seats, kids slide, waterfall, water hedgehog
Circulation rate:	626 m <sup>3</sup> /h
Location of execution:	Canazei (TN)
Year of execution:	2011 - 2012
Project:	Architecture office Ralf Dejaco

\* **KASTELRUTH - OUTDOOR POOL TELFEN**

Technology:	Sand filters, flocculation – filtration - chlorination
Number of pools:	3
Water surface:	400 m <sup>2</sup>
Attractions:	Massage jets, floor bubbles, bubble seats, neck shower, water fountain, water mushroom
Circulation rate:	438 m <sup>3</sup> /h
Location of execution:	Kastelruth (BZ)
Year of execution:	2010
Project:	Engineering office Fleischmann & Janser

\* **SCHLANDERS - OUTDOOR POOL**

Technology:	Sand filters, flocculation – filtration - chlorination
Number of pools:	2
Water surface:	916 m <sup>2</sup>
Attractions:	Slide, different attractions in the children's pool
Circulation rate:	588 m <sup>3</sup> /h
Location of execution:	Schlanders (BZ)
Year of execution:	2009 - 2010
Project:	Engineering office Fleischmann & Janser

\* **STERZING - INDOOR POOL**

Technology:	Sand filters, flocculation – filtration - chlorination
Number of pools:	8
Water surface:	1.100 m <sup>2</sup>
Attractions:	Flow channel, neck shower, floor bubbles, bubble lounger, bubble seats, massage jets, kids slide, water mushroom, water cannon
Circulation rate:	730 m <sup>3</sup> /h
Location of execution:	Sterzing (BZ)
Year of execution:	2009 - 2010
Project:	Architecture office Ralf Dejaco Engineering office Studio Troi

\* **NALS - OUTDOOR POOL**

Technology:	Flocculation – filtration – chlorination
Number of pools:	2
Water surface:	437 m <sup>2</sup>
Circulation rate:	270 m <sup>3</sup> /h
Location of execution:	Nals (BZ)
Year of execution:	2009
Project:	Architecture office TV - Vonmetz

\* **OLANG - OUTDOOR POOL – SPORTS AREA**

Technology:	Flocculation – filtration – chlorination
Number of pools:	2
Water surface:	608 m <sup>2</sup>
Attractions:	Neck shower, bell fountain, bubble lounger, rivulet
Circulation rate:	396 m <sup>3</sup> /h
Location of execution:	Olang (BZ)
Year of execution:	2008
Project:	Engineering office Ekon

\* **LATSCH - INDOOR POOL**

Technology:	Flocculation – filtration – chlorination
Number of pools:	6
Water surface:	514 m <sup>2</sup>
Attractions:	Bubble seats, massage jets, neck shower, water fountain, bell fountain, slide
Circulation rate:	431 m <sup>3</sup> /h
Location of execution:	Latsch (BZ)
Year of execution:	2007
Project:	Architecture office Ralf Dejaco Engineering office Fleischmann & Janser



\* **GARDA - GARDAQUA**

Technology:	Sand filters
Number of pools:	5
Water surface:	1.200 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, neck shower, massage jets, floor bubbles, flow channel, water fountain, waterfall, water mushroom
Circulation rate:	957 m <sup>3</sup> /h
Location of execution:	Garda
Year of execution:	2007
Project:	Engineering office Studio Bonetti

\* **MERAN - MERANARENA**

Technology:	Sand filters
Number of pools:	1
Water surface:	165 m <sup>2</sup>
Attractions:	Neck shower, water splashes
Circulation rate:	100 m <sup>3</sup> /h
Location of execution:	Meran (BZ)
Year of execution:	2007
Project:	Architecture office Studio A4

\* **VERONA - OUTDOOR POOL MONTE BIANCO**

Technology:	Sand filters
Number of pools:	3
Water surface:	900 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, floor bubbles, massage jets, neck shower, flow channel, water mushroom
Circulation rate:	435 m <sup>3</sup> /h
Location of execution:	Verona (VR)
Year of execution:	2006
Project:	Engineering office Studio Bonetti

\* **BRUNECK - INDOOR POOL**

Technology:	Sand filters
Number of pools:	9
Water surface:	845 m <sup>2</sup>
Attractions:	Bubble lounge, massage jets, water fall, water bell, water fountain, neck shower, water splashes, flow channel
Circulation rate:	732 m <sup>3</sup> /h
Location of execution:	Bruneck (BZ)
Year of execution:	2005
Project:	Engineering office Pohl

\* **KALTERN - SEEBAD**

Technology:	Sand filters
Number of pools:	3
Water surface:	480 m <sup>2</sup>
Attractions:	Bubble lounge, water splashes, floor bubbles, massage jets
Circulation rate:	444 m <sup>3</sup> /h
Location of execution:	Kalern (BZ)
Year of execution:	2005
Project:	Architecture office the nextENTERprise-architects

\* **BOZEN – IN- & OUTDOOR POOL**

Technology:	Sand filters
Number of pools:	7
Water surface:	2.600 m <sup>2</sup>
Attractions:	Bubble lounge, floor bubbles, massage jets, neck shower, flow channel, slide
Circulation rate:	1.675 m <sup>3</sup> /h
Location of execution:	Bozen
Year of execution:	2004
Project:	Architecture office Ralf Dejaco

\* **BRIXEN- AQUARENA**

Technology:	Sand filters, active charcoal filter, ozone system
Number of pools:	11
Water surface:	1.040 m <sup>2</sup>
Attractions:	Massage jets, neck shower, water mushroom, flow channel, floor bubbles, bubble seats, bubble lounger, water splashes, slide
Circulation rate:	1.164 m <sup>3</sup> /h
Location of execution:	Brixen (BZ)
Year of execution:	2002 - 2003
Project:	Architecture office Ralf Dejaco

\* **BRUNECK - OUTDOOR POOL**

Technology:	Sand filters
Number of pools:	2
Water surface:	935 m <sup>2</sup>
Circulation rate:	621 m <sup>3</sup> /h
Location of execution:	Bruneck (BZ)
Year of execution:	2001
Project:	Architecture office Arno Gamper

\* **INNICHEN - INDOOR POOL ACQUAFUN**

Technology:	Sand filters, flocculation – filtration - chlorination
Number of pools:	4
Water surface:	460 m <sup>2</sup>
Attractions:	Floor bubbles, bubble seats, bubble lounger, neck shower, slides, water cannon, water fountain, waterfall, flow channel, water curtain
Circulation rate:	390 m <sup>3</sup> /h
Location of execution:	Innichen (BZ)
Year of execution:	2000
Project:	Engineering office Gritsch

\* **BRIXEN - OUTDOOR POOL**

Water treatment plant for the outdoor pool at Brixen

Technology: Sand filters

Number of pools: 3

Water surface: 2.100 m<sup>2</sup>

Attractions: Bubble lounger, floor bubbles, massage jets, flow channel, neck shower, slide

Circulation rate: 1.272 m<sup>3</sup>/h

Location of execution: Brixen (BZ)

Year of execution: 1998

Project: Architecture office Ralf Dejaco

## HOTEL

### \* **PLOSE - HOTEL FORESTIS ROSALPINA**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	248 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats
Circulation rate:	118 m <sup>3</sup> /h
Location of execution:	Brixen - Plose (BZ)
Year of execution:	2019 - 2020
Project:	Engineering office Florian Anich

### \* **BARDOLINO - HOTEL CAESIUS**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	35 m <sup>2</sup>
Attractions:	Bubble seats, floor bubbles
Circulation rate:	50 m <sup>3</sup> /h
Location of execution:	Bardolino (VR)
Year of execution:	2019
Project:	Atzwanger SpA

### \* **RIDNAUN - HOTEL PLUNHOF**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	305 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, floor bubbles
Circulation rate:	172 m <sup>3</sup> /h
Location of execution:	Ridnaun (BZ)
Year of execution:	2018
Project:	Engineering office Florian Anich

\* **LÜSEN – HOTEL SONNWIES**

Technology:	Sand filters, multilayer filter
Number of pools:	3
Water surface:	94 m <sup>2</sup>
Attractions:	Different attractions in the children's pool
Circulation rate:	49 m <sup>3</sup> /h
Location of execution:	Lüsen (BZ)
Year of execution:	2018
Project:	Engineering office Florian Anich

\* **VALS – HOTEL FALKENSTEINERHOF**

Technology:	Sand filters
Number of pools:	1
Water surface:	65 m <sup>2</sup>
Attractions:	Bubble lounge
Circulation rate:	37 m <sup>3</sup> /h
Location of execution:	Vals (BZ)
Year of execution:	2018
Project:	Atzwanger SpA

\* **HOFERN – HOTEL PANORAMA**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	185 m <sup>2</sup>
Attractions:	Different attractions in the children's pool, slide
Circulation rate:	90 m <sup>3</sup> /h
Location of execution:	Hofern (BZ)
Year of execution:	2018
Project:	Engineering office Florian Anich

\* **KALTERN – SEEHOTEL AMBACH**

Technology:	Sand filters
Number of pools:	2
Water surface:	120 m <sup>2</sup>
Attractions:	Floor bubbles, bubble seats
Circulation rate:	60 m <sup>3</sup> /h
Location of execution:	Kaltern (BZ)
Year of execution:	2018
Project:	Atzwanger SpA

\* **STEINHAUS – AMONTI & LUNARIS WELLNESSRESORT**

Technology:	Multilayer filter
Number of pools:	5
Water surface:	145 m <sup>2</sup>
Attractions:	3 slides, bubble lounge, floor bubbles, splash nozzles, different attractions in the children's pool
Circulation rate:	108 m <sup>3</sup> /h
Location of execution:	Steinhaus (BZ)
Year of execution:	2018
Project:	Engineering office Florian Anich

\* **GIRLAN – HOTEL WEINEGG**

Technology:	Multilayer filter
Number of pools:	5
Water surface:	755 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, massage jets, splash shower, floor bubbles
Circulation rate:	295 m <sup>3</sup> /h
Location of execution:	Girlan (BZ)
Year of execution:	2017 - 2018
Project:	Engineering office Florian Anich

\* ***BRIXEN – MY ARBOR – PLOSE WELLNESS HOTEL***

Technology:	Multilayer filter
Number of pools:	3
Water surface:	197 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, massage jets different attractions in the children's pool
Circulation rate:	120 m <sup>3</sup> /h
Location of execution:	Brixen (BZ)
Year of execution:	2017
Project:	Engineering office Florian Anich

\* ***DEUTSCHNOFEN – VITALPINA HOTEL PFÖSL***

Technology:	Multilayer filter
Number of pools:	1
Water surface:	149 m <sup>2</sup>
Attractions:	Bubble seats
Circulation rate:	70 m <sup>3</sup> /h
Location of execution:	Deutschnofen (BZ)
Year of execution:	2017
Project:	Engineering office Florian Anich

\* ***LEIFERS – HOTEL IDEAL PARK***

Technology:	Sand filters
Number of pools:	3
Water surface:	80 m <sup>2</sup>
Attractions:	Tube slide, bubble lounge
Circulation rate:	70 m <sup>3</sup> /h
Location of execution:	Leifers (BZ))
Year of execution:	2017
Project:	Atzwanger SpA



\* **KALTERN – HOTEL THALHOF AM SEE**

Technology:	Sand filters
Number of pools:	2
Water surface:	192 m <sup>2</sup>
Attractions:	Bubble lounger, massage jets
Circulation rate:	108 m <sup>3</sup> /h
Location of execution:	Kaltern (BZ)
Year of execution:	2016
Project:	Atzwanger SpA

\* **NATURNS – FAMILIEN-& WELLNESSHOTEL PROKULUS - ENLARGEMENT**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	36 m <sup>2</sup>
Attractions:	Bubble lounger
Circulation rate:	288 m <sup>3</sup> /h
Location of execution:	Naturns (BZ)
Year of execution:	2016
Project:	Atzwanger SpA

\* **WOLKENSTEIN - FAMILY HOTEL BIANCANEVE**

Technology:	Multilayer filter
Number of pools:	1
Water surface:	34 m <sup>2</sup>
Attractions:	Slide, water snake, bubble seats
Circulation rate:	45 m <sup>3</sup> /h
Location of execution:	Wolkenstein (BZ)
Year of execution:	2015
Project:	Engineering office Ingo Georg Mair

\* **LÜSEN - FAMILY HOTEL SONNWIES**

Technology:	Multilayer filter
Number of pools:	2
Water surface:	175 m <sup>2</sup>
Attractions:	Neck shower, bubble lounger, floor bubbles, slide, tube slide, different attractions
Circulation rate:	92 m <sup>3</sup> /h
Location of execution:	Lüsen (BZ)
Year of execution:	2015
Project:	Engineering office Florian Anich

\* **ST. MARTIN PASSEIER - SPORT – & WELLNESSRESORT QUELLENHOF**

Technology:	Sand filters, flocculation – filtration - chlorination
Number of pools:	3
Water surface:	183 m <sup>2</sup>
Attractions:	Flow channel, neck shower, bubble lounger, slide, slide Speetrocket, different attractions in the children's pool
Circulation rate:	140 m <sup>3</sup> /h
Location of execution:	St. Martin in Passeier (BZ)
Year of execution:	2015
Project:	Engineering office Florian Anich

\* **NATURNS - FAMILY– & WELLNESSHOTEL PROKULUS**

Technology:	Multilayer filter
Number of pools:	7
Water surface:	490 m <sup>2</sup>
Attractions:	Bubble lounger, bubble seats, floor bubbles, massage alcove, neck shower
Circulation rate:	300 m <sup>3</sup> /h
Location of execution:	Naturns (BZ)
Year of execution:	2013 - 2014
Project:	Atzwanger SpA

\* **JESOLO - FALKENSTEINER HOTEL & SPA**

Technology:	Sand filters, flocculation – filtration - chlorination
Number of pools:	5
Water surface:	251 m <sup>2</sup>
Attractions:	Bubble lounger, bubble seats, neck shower
Circulation rate:	141 m <sup>3</sup> /h
Location of execution:	Jesolo (VE)
Year of execution:	2014 - 2015
Project:	Michaeler & Partner

\* **GARDONE – VILLA EDEN**

Technology:	Sand filters, flocculation – filtration - chlorination
Number of pools:	12
Water surface:	544 m <sup>2</sup>
Attractions:	Bubble seats, floor bubbles
Circulation rate:	218 m <sup>3</sup> /h
Location of execution:	Gardone (BS)
Year of execution:	2013 - 2016
Project:	Engineering office Energytech

\* **WOLKENSTEIN - HOTEL MARTA**

Technology:	Sand filters, flocculation – filtration - chlorination
Number of pools:	1
Water surface:	82 m <sup>2</sup>
Attractions:	Massage jets, neck shower, bubble seats
Circulation rate:	54 m <sup>3</sup> /h
Location of execution:	Wolkenstein (BZ)
Year of execution:	2012
Project:	Engineering office Studio Dossi

\* ***BARDOLINO - HOTEL AQUALUX***

Technology:	Sand filters, flocculation – filtration - chlorination
Number of pools:	8
Water surface:	622 m <sup>2</sup>
Attractions:	Flow channel, neck shower, floor bubbles, massage alcove, reflex zone foot massage, bubble lounger, bubble seats, waterfall, water mushroom
Circulation rate:	345 m <sup>3</sup> /h
Location of execution:	Bardolino (VR)
Year of execution:	2011
Project:	Engineering office Studio Carlini

\* ***KASTELRUTH - HOTEL TIANES***

Technology:	Sand filters, flocculation – filtration - chlorination
Number of pools:	2
Water surface:	100 m <sup>2</sup>
Attractions:	Bubble lounger, floor bubbles
Circulation rate:	56 m <sup>3</sup> /h
Location of execution:	Kastelruth (BZ)
Year of execution:	2010
Project:	Michaeler & Partner

\* ***SEXTEN - HOTEL ALPENBLICK***

Technology:	Sand filters, flocculation – filtration - chlorination
Number of pools:	2
Water surface:	100 m <sup>2</sup>
Circulation rate:	56 m <sup>3</sup> /h
Attractions:	Bubble lounger
Location of execution:	Sexten (BZ)
Year of execution:	2010
Project:	Michaeler & Partner

\* ***LAZISE - HOTEL CORTE VALIER***

Technology:	Flocculation – filtration – chlorination
Number of pools:	6
Water surface:	950 m <sup>2</sup>
Attractions:	Bubble seats, massage jets, neck shower, water fountain, bell fountain, sprouts
Circulation rate:	575 m <sup>3</sup> /h
Location of execution:	Lazise (TN)
Year of execution:	2009
Project:	Architecture office Studio Feriotti

\* ***BARDOLINO - HOTEL CAESIUS***

Technology:	Sand filters
Number of pools:	6
Water surface:	1.015 m <sup>2</sup>
Attractions:	Bubble lounge, bubble seats, neck shower, massage jets, floor bubbles
Circulation rate:	425 m <sup>3</sup> /h
Location of execution:	Bardolino (VR)
Year of execution:	2005 - 2006
Project:	Architecture office A+kua

\* ***OSPEDALETTO - PARK HOTEL VILLA QUARANTA***

Technology:	Sand filters
Number of pools:	8
Water surface:	400 m <sup>2</sup>
Attractions:	Bubble lounge, neck shower, floor bubbles, massage jets, reflex zone foot massage, bubble seats
Circulation rate:	215 m <sup>3</sup> /h
Location of execution:	Ospedaletto di Pescantina (VR)
Year of execution:	2003 - 2006
Project:	Tommasi Costruzioni

\* **VIGILJOCH - HOTEL VIGILIUS MOUNTAIN RESORT**

Technology:	Sand filters
Number of pools:	2
Water surface:	65 m <sup>2</sup>
Attractions:	Bubble seats, floor bubbles, reflex zone foot massage, neck shower, massage jets
Circulation rate:	140 m <sup>3</sup> /h
Location of execution:	Vigiljoch
Year of execution:	2003
Project:	Architecture office Studio Matteo Thun

\* **SEISER ALM - HOTEL PLAZA - URTHALER**

Technology:	Sand filters
Number of pools:	2
Water surface:	224 m <sup>2</sup>
Attractions:	Massage jets, bubble seats
Circulation rate:	150 m <sup>3</sup> /h
Location of execution:	Seiser Alm (BZ)
Year of execution:	2002
Project:	Architecture office Silvio Tacus Architect Franco Didoné

## ROMANIA

### \* **BUCHAREST – THERME BUCHAREST**

Technology:	Sand filter, multilayer filter, active charcoal filter, ozone system
Number of pools:	14
Water surface:	2.693 m <sup>2</sup>
Attractions:	Wave pool, bubble lounge, bubble seats, massage jets, neck shower, flow channel, calla flowers, floor bubbles
Circulation rate:	3.616 m <sup>3</sup> /h
Location of execution:	Bucharest, Balotesti (RO)
Year of execution:	2013 - 2017
Project:	Atzwanger SpA

### \* **BUCHAREST – THERME BUCHAREST – TERMAL WATER TREATMENT**

Technology:	Cooling system - 5 level treatment
Geothermal energy:	4 MW
Circulation rate:	9 - 18 m <sup>2</sup>
Location of execution:	Bucharest, Balotesti (RO)
Year of execution:	2016 - 2017
Project:	Engineering office SHP

### \* **BUCHAREST – THERME BUCHAREST – WELL WATER TREATMENT**

Technology:	Multilayer filter
Circulation rate:	25 - 50 m <sup>3</sup> /h
Location of execution:	Bucharest, Balotesti (RO)
Year of execution:	2015 - 2016
Project:	Atzwanger SpA

## CZECH REPUBLIC

### \* **HODONIN – OUTDOOR POOL**

Technology:	Multilayer filter
Number of pools:	3
Water surface:	2.230 m <sup>2</sup>
Attractions:	Wide slide, long slide, kids slide, flow channel, jump tower, bubble lounger, bubble seats, water cannon, neck shower, massage jets, floor bubbles massage jets, water mushroom, rainbow
Circulation rate:	1.316 m <sup>3</sup> /h
Location of execution:	Hodonin (CZ)
Year of execution:	2008
Customer:	Berndorf Bäderbau s.r.o. / Město Hodonin
Project:	ARKO Technology a.s.

### \* **OLOMOUC - AQUAPARK**

Technology:	Multilayer filter
Number of pools:	9
Water surface:	1.125 m <sup>2</sup>
Attractions:	Wide slide, long slide, flow channel, bubble lounger, bubble seats, water cannon, splash shower, neck shower, waterfall, massage jets, floor bubbles massage jets, water hedgehog
Circulation rate:	853 m <sup>3</sup> /h
Location of execution:	Olomouc (CZ)
Year of execution:	2008
Customer:	Berndorf Bäderbau s.r.o. / Consortium TEKPROM (Gemo a.s., Skanska a.s., Město Olomouc)
Project:	Stavoprojekt Olomouc a.s.



## **RUSSIA**

### **\* MOSKAU - ELSE CLUB ALISSA**

Technology:	Sand filter, active charcoal filter, ozone filter
Number of pools:	9
Water surface:	290 m <sup>2</sup>
Attractions:	Massage jets, floor bubbles, bubble lounger
Circulation rate:	409 m <sup>3</sup> /h
Location of execution:	Moskau
Year of execution:	2004
Project:	Architecture office 4a

## **BOSNIA**

### **\* BANJA LUKA – AQUAPARK AQUANA**

Technology:	Sand filter
Number of pools:	4
Water surface:	1.470 m <sup>2</sup>
Attractions:	Bubble lounger, bubble seats, massage jets, neck shower, flow channel
Circulation rate:	882 m <sup>3</sup> /h
Location of execution:	Banja Luca
Year of execution:	2005 - 2006
Project:	Atzwanger SpA

## **CROATIA**

### **\* ZADAR - PUNTA SKALA FALKENSTEINER RESORT**

Technology:	Multilayer filter
Number of pools:	10
Water surface:	1.450 m <sup>2</sup>
Attractions:	Bubble lounger, bubble seats, waterfall, neck shower, flow channel
Circulation rate:	1.621 m <sup>3</sup> /h
Location of execution:	Zadar
Year of execution:	2007
Project:	Michaeler & Partner